

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. CONTRACT ID CODE	PAGE OF PAGES 1 7
2. AMENDMENT/MODIFICATION NO. 0001	3. EFFECTIVE DATE 10-Nov-2003	4. REQUISITION/PURCHASE REQ. NO.	5. PROJECT NO.(If applicable) POC: F. Walker Pitts		
6. ISSUED BY USACE, CONTRACTING DIVISION ATTN: CEMVN-CT, ROOM 172 7400 LEAKE AVE. NEW ORLEANS LA 70118-3651	CODE W912P8	7. ADMINISTERED BY (If other than item 6) See Item 6		CODE	
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)				X	9A. AMENDMENT OF SOLICITATION NO. DACW29-03-B-0095
				X	9B. DATED (SEE ITEM 11) 17-Oct-2003
					10A. MOD. OF CONTRACT/ORDER NO.
					10B. DATED (SEE ITEM 13)
CODE		FACILITY CODE			
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS					
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input checked="" type="checkbox"/> is extended, <input type="checkbox"/> is not extended.					
Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning <u>1</u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.					
12. ACCOUNTING AND APPROPRIATION DATA (If required)					
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.					
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.					
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).					
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:					
D. OTHER (Specify type of modification and authority)					
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.					
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) The above numbered Solicitation for Atchafalaya Basin Floodway System, Louisiana Project, Simmesport Recreational Facility, Avoyelles Parish, Louisiana, is hereby amended as follows: BID OPENING DATE BID OPENING DATE AND TIME OF 18 NOVEMBER 2003, 2:00 P.M., IS CHANGED. BIDS WILL NOW OPEN ON 25 NOVEMBER 2003, 2:00 P.M., LOCAL TIME AT PLACE OF BID OPENING.					
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.					
15A. NAME AND TITLE OF SIGNER (Type or print)			16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)		
			TEL: _____ EMAIL: _____		
15B. CONTRACTOR/OFFEROR _____ (Signature of person authorized to sign)		15C. DATE SIGNED	16B. UNITED STATES OF AMERICA BY _____ (Signature of Contracting Officer)		16C. DATE SIGNED 10-Nov-2003

SECTION 00010

Delete the bidding schedule pages 00010-3 thru 00010-4 in its entirety and replace with the revised attached bidding schedule pages 00010-3 thru 00010-4.

SECTION 02075

1. Page 1, paragraph 1.2. Before “AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM)” insert:

“AMERICAN ASSOCIATION OF STATE HIGHWAY AND TRANSPORTATION OFFICIALS (AASHTO)

M288 (1996) Geotextiles Used for Subsurface Drainage Purposes”

2. Page 1, paragraph 1.2. Delete “ASTM D 883 (2000) Terminology Relating to Plastics”.

3. Page 2, paragraph 2.1. Line 1, change “non-woven” to “woven”. Line 2, change “ASTM D 883” to “AASHTO M 288”.

SECTION 02231

Page 2, subparagraph 3.2.1. After the first paragraph insert a new paragraph:

“Within the selective clearing area designated, the contractor shall remove all trees less than 2 inches diameter breast high (DBH); this height shall be measured 3 1/2 feet from the ground. Also, clear and remove all underbrush, vines in trees, and all dead trees and shrubs either standing or on the ground.”

SECTION 02300

1. Page 1, paragraph 1.1. Line 6, delete “soil classification, Proctor curves,”.

2. Page 1, subparagraph 1.2.1. Line 7, change “Excavation” to “Excavation and Backfill.” Lines 9-11, change “excavation work, the stockpiling, placement and compaction of backfill; removal and disposal of the excess backfill and other excess soil and construction debris.” to “excavation work and the stockpiling.”

3. Page 1, subparagraph 1.2.2. Line 5, change “Backfill” to “Excavation and Backfill.” Line 7, change “and stockpiling” to “, placing and compaction of.”

4. Page 4, paragraph 3.1. Remove the paragraph in its entirety and insert:

“3.1 RESERVED”.

5. Page 4, paragraph 3.2. Delete the sixth sentence in its entirety.

6. Page 9, subparagraph 3.11.5. After the last sentence, insert:

“Moisture shall be + or – 3% of optimum mixture content.”

SECTION 02381

1. Page 1, paragraph 1.1. After the last sentence, insert, “All references in this section to concrete riprap and stone riprap shall mean armor stone.”

2. Page 3, subparagraph 2.1.1.1. Last line, change ”at the end of this section.” to “as follows:

GRADATION

Percent Lighter by Weight	Limits of Stone Weight in Pounds
100	90-40
50	40-20
15	20-5

SECTION 02731

Page 2, subparagraph 1.3.1. Line 4, change “Aggregate Surface Course” to “Aggregate”.

SECTION 03307

Page 3, after subparagraph 1.3.3. Insert:

“1.3.4 Concrete Slab for Access Road

No separate measurement and payment will be made for the concrete slab. Payment for this work will be included in the contract unit price per linear foot for "18 inch Dia. Culvert". “

DRAWINGS

Pen and Ink Changes:

1. DWG. 2 of 16. Insert the following:

“GENERAL NOTES:

1. ALL REFERENCES IN THIS SET OF DRAWINGS TO CONCRETE RIPRAP AND STONE RIPRAP SHALL MEAN ARMOR STONE.
2. ALL REFERENCES IN THIS SET OF DRAWINGS TO NON-WOVEN GEOTEXTILE SHALL MEAN WOVEN GEOTEXTILE.
3. ADDITIONAL CROSS SECTIONS ARE AVAILABLE BY CONTRACTOR’S REQUEST.”

2. DWG. 2 OF 16. Columns C and 1 and 2, center call out, change ”AVAILABLE FOR BORROW (SEE DRAWING 12 FOR SECTIONS)” to “AVAILABLE FOR BORROW STARTING AT THE NORTH END TOWARD THE SOUTH END. AVAILABLE FOR UNSATISFACTORY EXCAVATED MATERIAL (SEE DRAWING 12 FOR SECTIONS).”

3. DWG. 2 OF 16. Columns C and 2 and 3, center call out, after “FISHING TRAIL”, insert, “IN THOSE AREAS OF SELECTIVE CLEARING WHERE GRADING IS REQUIRED, REMOVAL OF 2 FEET OR MORE OF SOIL REQUIRES ALL TRESS TO BE REMOVED.”

4. DWG. 2 of 16. NOTES. Note 7, after “BANK.”, insert, “SEE DRAWING 7 FOR LIMITS OF REMOVAL.”

5. DWG. 3 of 16. TYPICAL ROADWAY SECTION OVER LEVEE, columns D and 4, change “6” COMPACT AGGREGATE BASE” to “6” COMPACT AGGREGATE”.

6. DWG. 3 of 16. Change “AGGREGATE SURFACE COURSE” to “AGGREGATE”. (Typical 3 Locations.)

7. DWG. 3 of 16. NOTES. Columns A and 4, Note 2, after “ONLY.”, insert “USE HOT-SPRAYED PAINT FROM THERMOPLASTIC PAVEMENT MARKINGS IN LATEST EDITION OF LOUISIANA STANDARD SPECIFICATIONS FOR ROADS AND BRIDGES, SECTION 1015.10.”

8. DWG. 4 of 16. NOTES. Columns B and 3, Note 5, line 1, change “EATCH” to “EACH”.

9. DWG. 4 of 16. RAMP CROSS SECTION. Change “SCALE: 1” = 2’ “ to “NTS”.

10. DWG. 5 of 16. Columns C and 4, change “116’ “ to “616’ “.

11. DWG. 5 of 16. SECTION A-A, columns D and 5, bottom center, left hand call out, after “CONCRETE”, add “BY WIDTH OF ROADWAY WITH 0/1 6X12 MESH”.

12. DWG. 6 of 16. Columns C and 5, add note:

“FOR PARKING ISLAND: ADD CONCRETE CURB ALL THE WAY AROUND.
FERTILIZE AND SEED INSIDE THE PARKING ISLAND.”

13. DWG. 6 of 16. Columns A and 1, 2nd dimension, upper call out, change “5’-0” “ to “5’-6”
“.

14. DWG. 8 of 16. Columns A and B and 2 and 3, delete the BORROW AREA section at the bottom of drawing and delete the note above the section in their entirety. Insert the following:

“NOTES:

1. NO BORROW TO BE TAKEN FROM THE PRIMITIVE CAMPING AREA.
2. SEE DRAWING 2 FOR LIMITS OF ROW AND FENCE.”

15. DWGS. 10, 11, and 12 of 16. Insert the following:

“NOTE:

A SUFFICIENT QUANTITY OF BORROW MATERIAL IS IN THE AVAILABLE BORROW AREA. THE CONTRACTOR SHALL REMOVE THE BORROW COMMENCING AT THE NORTH END AND EXCAVATE ON A MINIMUM 1% SLOPE FROM ELEVATION + 40.00 IN ORDER TO MAINTAIN DRAINAGE AT ALL TIMES.”

16. DWG. 11 OF 16. SECTION 483+46, columns C and D and 1 and 2, change “AVAILABLE BORROW MATERIAL” to “REQUIRED EXCAVATION AND AVAILABLE FOR BORROW.”

17. DWG. 12 OF 16. SECTIONS 485+58 AND 484+53, columns B and 1 and 2, change “AVAILABLE FOR BORROW” to “REQUIRED EXCAVATION AND AVAILABLE FOR BORROW.”

SECTION 00010 - BIDDING SCHEDULE

Atchafalaya Basin Floodway System

Louisiana Project

Simmesport Recreational Facility

Avoyelles Parish, Louisiana

Item	Description	Estimated Quantity	Unit	Unit Price	Estimated Amount
0001	Mobilization and Demobilization	1	LS		
0002	Selective Demolition	1	LS		
0003	Clearing and Grubbing	1	LS		
*0004	Excavation and Backfill	10,000	CY		
*0005	Geotextile Fabric	13,600	SY		
*0006	Sand Subbase	1,520	CY		
*0007	Crushed Stone	900	CY		
*0008	Asphaltic Concrete Binder Course	1,460	SY		
*0009	Asphaltic Concrete Wearing Course	1,460	SY		
*0010	Concrete Boat Ramp	400	CY		
*0011	Aggregate	1,820	CY		
*0012	Stone Rip-Rap	410	TON		
*0013	Fertilizing, Seeding and Mulching	6.0	AC		
*0014	Barbed Wire Fence	750	LF		
*0015	18 inch Dia. Culvert	118	LF		
*0016	Picnic Tables	10	EA		
*0017	Temporary Cofferdam	1	LS		

TOTAL: \$

* - Denotes a change from the previous bidding schedule.

Award will be made as a whole to one bidder.

NOTE 1: Bidders shall furnish unit prices for each item listed in the Schedule requiring a unit price. If the bidder fails to insert a unit price in the appropriate blank for required item(s), but does furnish an extended total, or an estimated amount for such item(s), the Government shall deem the unit price to be the quotient obtained by dividing the extended amount for that line item by the quantity. **IF A BIDDER OMITTS BOTH THE UNIT PRICE AND THE EXTENDED TOTAL OR ESTIMATED AMOUNT FOR ANY ITEM, ITS BID SHALL BE DECLARED NON-RESPONSIVE AND THEREFORE INELIGIBLE FOR AWARD.**

NOTE 2: THE NOTICE TO PROCEED (NTP): The successful bidder is advised that performance and payment bonds shall be submitted in accordance with the time frame in block 12B of SF 1442 after Notice of Award. The NTP will be issued immediately after verification of acceptable performance and payment bonds. Within seven (7) days after issuance of the NTP, the Contractor shall initiate a meeting to discuss the submittal process with the Area or Resident Engineer or his authorized representative. Physical work cannot start until the Accident Prevention Program, Contractor Quality Control Plan, and other submittals which may be required, have been submitted and approved and all preliminary meetings called for under the contract, have been conducted.