

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. CONTRACT ID CODE	PAGE OF PAGES	
				J	1	8
2. AMENDMENT/MODIFICATION NO. 0001		3. EFFECTIVE DATE 22-Mar-2004	4. REQUISITION/PURCHASE REQ. NO.		5. PROJECT NO.(If applicable) OM-04-062 (C. Evans)	
6. ISSUED BY USACE, CONTRACTING DIVISION ATTN: CEMVN-CT, ROOM 172 7400 LEAKE AVE. NEW ORLEANS LA 70118-3651		CODE W912P8	7. ADMINISTERED BY (If other than item 6) See Item 6		CODE	
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)				X	9A. AMENDMENT OF SOLICITATION NO. W912P8-04-B-0033	
				X	9B. DATED (SEE ITEM 11) 12-Jan-2004	
					10A. MOD. OF CONTRACT/ORDER NO.	
					10B. DATED (SEE ITEM 13)	
CODE		FACILITY CODE				
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS						
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input checked="" type="checkbox"/> is extended, <input type="checkbox"/> is not extended.						
<p>Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods:</p> <p>(a) By completing Items 8 and 15, and returning <u>1</u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.</p>						
12. ACCOUNTING AND APPROPRIATION DATA (If required)						
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.						
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.						
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).						
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:						
D. OTHER (Specify type of modification and authority)						
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.						
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) The above numbered solicitation for Atchafalaya River Bar Channel, Bayous Chene, Boeuf and Black, 2004 Maintenance Dredging, Cutterhead Dredge Rental No. 1-2004 , St. Mary Parish, LA is amended as shown on the attached pages. BID OPENING DATE: A bid opening date of 25 March 2004, 11:00 am local time at place of bid opening, is hereby established.						
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.						
15A. NAME AND TITLE OF SIGNER (Type or print)			16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)			
			TEL:		EMAIL:	
15B. CONTRACTOR/OFFEROR		15C. DATE SIGNED	16B. UNITED STATES OF AMERICA		16C. DATE SIGNED	
_____ (Signature of person authorized to sign)			BY _____ (Signature of Contracting Officer)		22-Mar-2004	

SECTION 00010

- a) Pages 00010-3 through 00010-5 – Delete these pages in their entirety and replace with the attached bidding schedules.
- b) Page 00010-7, Paragraph 3.b. – Delete the table entitled “Approximate Cutterhead Dredge Contract Duration” and replace with the following table:

APPROXIMATE CUTTERHEAD DREDGE CONTRACT DURATION (BASE PLUS OPTION)			
BID LOT	DISCHARGE LINE ID (INCHES)	SUBMERGED PUMP	APPROXIMATE NUMBER OF RENTAL DAYS
1	27	No	98
2	30	No	87
3	30	Yes	85

SECTION 01100

- a) Page 01100-5 – Insert the following paragraph after Paragraph 1.14:

1.15 Site Safety and Health Officer

The Contractor shall submit the name(s) of a designated employee(s) at each project to function as the Site Safety and Health Officer (SSHO). The SSHO will manage the Contractor’s Accident Prevention Program. The employee(s), as a minimum, must have completed the 10-hour OSHA Construction safety class or an equivalent course applicable to the work to be performed and given by qualified instructors. The 10-hour OSHA Construction safety class can be taken at <http://www.intra.mvn.usace.army.mil/ss/sw/training.htm> and is entitled “OSHA 600 - Collateral Duty Safety and Health Course”. Such training shall have been within the last three (3) years. An SSHO shall be on-duty at all times when work is being performed and shall be responsible for enforcing and implementing the Contractor’s Safety and Health Program in accordance with the accepted Accident Prevention Program. Refer to EM 385-1-1, Section 01.A.17.

- b) Page 01100-a – Insert the stated addition and revise page numbers to reflect the stated addition.

SECTION 01331

- a) Page 01331-7, Paragraph 3.1.8b – In the first sentence of this paragraph, delete “or Bird Island Disposal Area East”.
- b) Page 01331-12 – Delete this page in its entirety and replace with the attached page entitled “Atchafalaya Maintenance Dredging Disposal Areas”.

SECTION 01431

- a) Page 01431-7, Paragraph 3.6.1 – Delete this paragraph in its entirety and replace with the following paragraph:

3.6.1 Guidelines for Bald Eagle Nests

The Contractor is hereby notified that bald eagle nests exist within the vicinity of Bayou Chene dredging and disposal areas, and will adhere to the following restrictions:

- No work may be performed within 1500 feet of a bald eagle nest tree during the 1 October to 15 May breeding season. The Contractor may be granted permission to work in the area with the consent from the Contracting Officer.
- No trees containing active or inactive eagles nests will be damaged by the Contractor.
- The stations which may be affected by bald eagle nests range from approximately Station 358+00 to Station 448+00 and from Station 897+00 to Station 932+00 on Bayou Chene. Refer to the drawing at the end of Section 02327 entitled “Lower Atchafalaya River Bayou Chene Disposal Areas” for exact locations.

SECTION 02327

a) Page 02327-10, Paragraph 1.2.7 – Delete this paragraph in its entirety and replace with the word “RESERVED.”

b) Page 02327-10, Paragraph 1.2.8 – Delete this paragraph in its entirety and replace with the word “RESERVED.”

c) Page 02327-24, Paragraph 3.1.2.1 – Delete the first six sentences of this paragraph and replace with the following: “The authorized dimensions of the channel are El. –20 ft MLG by 400 ft bottom width, along the alignment shown in the table entitled “Atchafalaya River Bay and Bar Channel Maintenance Dredging” located at the end of Section 01331 – Surveys and Channel Bottom Grab Sampling. This table will be used by the Government Inspector to direct the work. Dredging depths of up to 4 feet below the authorized depth may be assigned at the direction of the Contracting Officer. Disposal of dredged material shall be at the Government’s direction with the tentative disposal sites shown on the drawings entitled “Lower Atchafalaya River Bar Channel Maintenance Dredging” located at the end of this Section. The disposal sites on these drawings entitled Bird Island Disposal Area East and ODMDS Disposal Area East shall not be used as disposal sites and will therefore not be directed by the Government as disposal sites. Material removed from Station 475+00 to Station 650+00 shall be placed in Bird Island Disposal Area West on the right descending bank of the channel. The maximum elevation of the dredged material placed in this area shall be no more than +6.0 ft MLG. The remaining dredged material shall be placed in the Ocean Dredged Material Disposal Site (ODMDS) Disposal Area West on the right descending bank of the channel at the Government’s direction.”

d) Page 02327-25, Paragraph 3.1.2.2 – Delete all references to Bird Island Disposal Area East and add the following sentence at the end of the paragraph: “The flotation channel shown on this drawing to access Bird Island Disposal Area East will not be required and will therefore not be directed by the Government as necessary work.”

e) Page 02327-25, Paragraph 3.1.2.3 and Page 02327-26, Paragraph 3.1.3.2 – Delete the first two sentences of these paragraphs and replace with the following: “The authorized dimensions of the channel are El. –20 ft MLG by 400 ft bottom width, along the alignment shown in the table entitled “Atchafalaya River Bay and Bar Channel Maintenance Dredging” located at the end of Section 01331 – Surveys and Channel Bottom Grab Sampling. This table will be used by the Government Inspector to direct the work. Dredging depths of up to 4 feet below the authorized depth may be assigned at the direction of the Contracting Officer.”

f) Page 02327-26, Paragraph 3.1.3.1 – Delete the second to last sentence of this paragraph that states “An equitable adjustment will be made in the contract price if additional pipeline or equipment, dike maintenance or construction, or effluent control is necessary to conduct maintenance at a secondary dredging region.”

g) Page 02327-27, Paragraph 3.1.3.3a – Delete this paragraph in its entirety and replace with the following paragraph:

- a. This secondary dredging region consists of the Lower Atchafalaya River, Horseshoe Bend and vicinity of Mile 129. The authorized dimensions of the channel are El. –20 ft MLG by 400 ft bottom width. Dredging depths of up to 4 feet below the authorized depth may be assigned by the direction of the Contracting Officer.

h) Page 02327-27, Paragraph 3.1.3.3b – After the second to last sentence of this paragraph, add the following sentence: “Disposal areas A through H, as shown on the drawing entitled “Lower Atchafalaya River Horseshoe Disposal Areas”, are not authorized for disposal and will therefore not be directed by the Government as disposal sites.”

i) Page 02327-29, Paragraph 3.3.1d – After this paragraph, add the following paragraph:

e. **UTILITY AND PIPELINE MARKING REQUIRED.** Prior to dredging within 1,000 feet of a utility or pipeline crossing, the Contractor shall mark the established location of utility or pipeline by placing one Coast Guard approved yellow flashing buoy on each side of and outside of the authorized channel to accurately mark the location of the pipeline or utility within view of the Dredge Leverman. The Contractor shall immediately remove such buoys upon completion of dredging in the area of the utility or pipeline.

j) Page 02327-a – Revise paragraph numbers, page numbers, and titles on the Index page to reflect the stated changes and additions.

SECTION 00010 – BIDDING SCHEDULE

**ATCHAFALAYA RIVER BAR CHANNEL, BAYOUS CHENE, BOEUF AND BLACK
CUTTERHEAD DREDGE RENTAL NO. 1-2004
ST. MARY PARISH, LOUISIANA
Solicitation No. W912P8-04-B-0033**

0001, LOT ONE 27 IN ID PUMP DISCHARGE WITHOUT SUBMERGED PUMP

Bid Item	Description	Estimated Quantity	Unit	Unit Price	Total Price
0001	MOBILIZATION AND DEMOBILIZATION	1	Lump Sum	\$_____.	\$_____.
0002	ADDITIONAL MOBILIZATION DUE TO IDLE STANDBY PERIOD	1	Each	\$_____.	\$_____.
0003	DREDGING: Rental of one fully operated cutterhead dredge with 27-inch ID pump discharge and attendant plant including up to 15,000 feet of pipeline with a minimum of 5,500 feet of floating pipeline.	845	Hour	\$_____.	\$_____.
OPTION 0004	DREDGING: same plant listed in Item 0003 of this bid lot.	422	Hour	\$XXXXXXXXXX	\$_____.
0005	DREDGE TOWING SERVICE	70	Mile	\$_____.	\$_____.
OPTION 0006	DREDGE TOWING SERVICE	35	Mile	\$XXXXXXXXXX	\$_____.
OPTION 0007	FLOTATION CHANNEL-BIRD ISLAND <u>WEST</u>	1	Lump Sum	\$_____.	\$_____.
TOTAL: 0001, LOT ONE					\$_____.

NOTES:

- Bidders shall bid on all items including optional items. Failure to bid on all items will result in a non-responsive bid.
- Bidders shall use the Item No. 0003 unit price to compute Item No. 0004 total price and use Item No. 0005 unit price to compute Item No. 0006 total price.
- Any bid may be rejected if the Contracting Officer or his/her authorized representative determines in writing that it is unreasonable as to price. Unreasonableness of price includes not only the total price of the bid, but the prices for individual line items as well. Any bid may be rejected if the prices for any line items or subline items are materially unbalanced (see FAR 15.404-1(g)(3)).
- The Notice to Proceed (NTP): The successful bidder is advised that performance and payment bonds shall be submitted in accordance with the time frame in block 12B of SF 1442 after Notice of Award. The NTP will be issued after verification of acceptable performance and payment bonds. Within seven (7) days after issuance of NTP, the Contractor shall initiate a meeting to discuss the submittal process with the Area or Resident Engineer or his authorized representative. Physical work cannot start until the Accident Prevention Program, Contractor Quality Control Plan, and other submittals which may be required, have been submitted and approved and all preliminary meetings called for under the contract, have been conducted.

SECTION 00010 – BIDDING SCHEDULE

**ATCHAFALAYA RIVER BAR CHANNEL, BAYOUS CHENE, BOEUF AND BLACK
CUTTERHEAD DREDGE RENTAL NO. 1-2004
ST. MARY PARISH, LOUISIANA
Solicitation No. W912P8-04-B-0033**

0002, LOT TWO 30 IN ID PUMP DISCHARGE WITHOUT SUBMERGED PUMP

Bid Item	Description	Estimated Quantity	Unit	Unit Price	Total Price
0001	MOBILIZATION AND DEMOBILIZATION	1	Lump Sum	\$_____.	\$_____.
0002	ADDITIONAL MOBILIZATION DUE TO IDLE STANDBY PERIOD	1	Each	\$_____.	\$_____.
0003	DREDGING: Rental of one fully operated cutterhead dredge with 30-inch ID pump discharge and attendant plant including up to 15,000 feet of pipeline with a minimum of 5,500 feet of floating pipeline.	684	Hour	\$_____.	\$_____.
OPTION 0004	DREDGING: same plant listed in Item 0003 of this bid lot.	342	Hour	\$XXXXXXXXXX	\$_____.
0005	DREDGE TOWING SERVICE	70	Mile	\$_____.	\$_____.
OPTION 0006	DREDGE TOWING SERVICE	35	Mile	\$XXXXXXXXXX	\$_____.
OPTION 0007	FLOTATION CHANNEL-BIRD ISLAND <u>WEST</u>	1	Lump Sum	\$_____.	\$_____.
TOTAL: 0002, LOT TWO					\$_____.

NOTES:

- Bidders shall bid on all items including optional items. Failure to bid on all items will result in a non-responsive bid.
- Bidders shall use the Item No. 0003 unit price to compute Item No. 0004 total price and use Item No. 0005 unit price to compute Item No. 0006 total price.
- Any bid may be rejected if the Contracting Officer or his/her authorized representative determines in writing that it is unreasonable as to price. Unreasonableness of price includes not only the total price of the bid, but the prices for individual line items as well. Any bid may be rejected if the prices for any line items or subline items are materially unbalanced (see FAR 15.404-1(g)(3)).
- The Notice to Proceed (NTP): The successful bidder is advised that performance and payment bonds shall be submitted in accordance with the time frame in block 12B of SF 1442 after Notice of Award. The NTP will be issued after verification of acceptable performance and payment bonds. Within seven (7) days after issuance of NTP, the Contractor shall initiate a meeting to discuss the submittal process with the Area or Resident Engineer or his authorized representative. Physical work cannot start until the Accident Prevention Program, Contractor Quality Control Plan, and other submittals which may be required, have been submitted and approved and all preliminary meetings called for under the contract, have been conducted.

SECTION 00010 – BIDDING SCHEDULE

**ATCHAFALAYA RIVER BAR CHANNEL, BAYOUS CHENE, BOEUF AND BLACK
CUTTERHEAD DREDGE RENTAL NO. 1-2004
ST. MARY PARISH, LOUISIANA
Solicitation No. W912P8-04-B-0033**

0003, LOT THREE 30 IN ID PUMP DISCHARGE WITH SUBMERGED PUMP

Bid Item	Description	Estimated Quantity	Unit	Unit Price	Total Price
0001	MOBILIZATION AND DEMOBILIZATION	1	Lump Sum	\$_____.	\$_____.
0002	ADDITIONAL MOBILIZATION DUE TO IDLE STANDBY PERIOD	1	Each	\$_____.	\$_____.
0003	DREDGING: Rental of one fully operated cutterhead dredge with 30-inch ID pump discharge with submerged pump and attendant plant including up to 15,000 feet of pipeline with a minimum of 5,500 feet of floating pipeline.	652	Hour	\$_____.	\$_____.
OPTION 0004	DREDGING: same plant listed in Item 0003 of this bid lot.	326	Hour	\$XXXXXXXXXX	\$_____.
0005	DREDGE TOWING SERVICE	70	Mile	\$_____.	\$_____.
OPTION 0006	DREDGE TOWING SERVICE	35	Mile	\$XXXXXXXXXX	\$_____.
OPTION 0007	FLOTATION CHANNEL-BIRD ISLAND <u>WEST</u>	1	Lump Sum	\$_____.	\$_____.
TOTAL: 0003, LOT THREE					\$_____.

NOTES:

- Bidders shall bid on all items including optional items. Failure to bid on all items will result in a non-responsive bid.
- Bidders shall use the Item No. 0003 unit price to compute Item No. 0004 total price and use Item No. 0005 unit price to compute Item No. 0006 total price.
- Any bid may be rejected if the Contracting Officer or his/her authorized representative determines in writing that it is unreasonable as to price. Unreasonableness of price includes not only the total price of the bid, but the prices for individual line items as well. Any bid may be rejected if the prices for any line items or subline items are materially unbalanced (see FAR 15.404-1(g)(3)).
- The Notice to Proceed (NTP): The successful bidder is advised that performance and payment bonds shall be submitted in accordance with the time frame in block 12B of SF 1442 after Notice of Award. The NTP will be issued after verification of acceptable performance and payment bonds. Within seven (7) days after issuance of NTP, the Contractor shall initiate a meeting to discuss the submittal process with the Area or Resident Engineer or his authorized representative. Physical work cannot start until the Accident Prevention Program, Contractor Quality Control Plan, and other submittals which may be required, have been submitted and approved and all preliminary meetings called for under the contract, have been conducted.

ATCHAFALAYA MAINTENANCE DREDGING DISPOSAL AREAS

SITE	X-COORDINATE (FEET)	Y-COORDINATE (FEET)
Atchafalaya Bay		
Horseshoe Island	3,279,896.6	332,703.9
Second Horseshoe Isl.	3,275,491.2	333,356.5
Gary Island	3,299,416.5	332,108.1
Natal Island	3,304,503.4	338,351.5
Ibis Island	3,295,956.1	334,476.6
Long Island	3,288,524.0	327,318.9
Bay Bird Islands		
Site 1 – Beth Island	3,271,024.6	329,879.5
Site 2 – Donna Island	3,269,088.3	327,612.9
Site 3 – T - Pat Island	3,266,859.7	325,565.6
Bar Reach		
Bird Island Disposal Area West NW	3,249,591.8	327,511.5
NE	3,262,082.9	317,771.1
SW	3,245,876.5	322,750.5
SE	3,258,391.9	313,041.1
ODMDS – West NW	3,245,876.5	322,750.5
NE	3,258,391.9	313,041.1
SW	3,187,460.9	247,834.9
SE	3,199,952.3	238,094.7

(X & Y COORDINATES ARE IN NAD83)