

JOINT PUBLIC NOTICE

September 5, 2016

United States Army
Corps of Engineers
New Orleans District
Regulatory Branch
Post Office Box 60267
New Orleans, Louisiana 70160-0267

State of Louisiana
Department of Environmental Quality
ATTN: Water Quality Certifications
Post Office Box 4313
Baton Rouge, Louisiana 70821-4313

(504) 862-1280
Brandon.D.Gaspard@usace.army.mil
Project Manager
Brandon Gaspard
Permit Application Number
MVN 2016-00876-MG

(225) 219-3026
Terriana.Wilcox@la.gov
Project Manager
T.D. Wilcox
WQC Application Number
WQC 160826-02

Interested parties are hereby notified that a permit application has been received by the New Orleans District of the U.S. Army Corps of Engineers pursuant to: [X] Section 10 of the Rivers and Harbors Act of March 3, 1899 (30 Stat. 1151; 33 USC 403); and/or [X] Section 404 of the Clean Water Act (86 Stat. 816; 33 USC 1344).

Application has also been made to the Louisiana Department of Environmental Quality, Water Quality Certifications, for a Water Quality Certification (WQC) in accordance with statutory authority contained in LRS30:2047 A(3), and provisions of Section 401 of the Clean Water Act (P.L.95-17).

LAKE CHARLES METHANOL TANK FARM IN CALCASIEU PARISH

NAME OF APPLICANT: Lake Charles Harbor and Terminal District, C/O: Arabie Environmental Solutions, L.L.C. Mr. Blaine Johnson, at Post Office Box 928, Lake Charles, Louisiana 70602.

LOCATION OF WORK: Located off of Bayou D'Inde Road on the Calcasieu Ship Channel, in Westlake Louisiana, Calcasieu Parish, Louisiana, as shown on the enclosed drawings.

Location: Latitude: 30.196187/Longitude: -93.299574
Hydrologic Unit Code: 08080206 – Lower Calcasieu. LA.

CHARACTER OF WORK: Clear, grub, grade, and fill in site for the construction of a methanol storage facility adjacent to Lake Charles Methanol. This project proposes the permanent impacts to 5.94 acres of estuarine scrub shrub wetlands on-site. The applicant proposes to purchase credits from a mitigation bank to offset any unavoidable losses to wetland functions caused by project implementation.

The comment period for the Department of the Army Permit and the Louisiana Department of Environmental Quality WQC will close **20 days** from the date of this joint public notice. Written comments, including suggestions for modifications or objections to the proposed work, stating reasons thereof, are being solicited from anyone having interest in this permit and/or this WQC request and must be mailed so as to be received before or by the last day of the comment period. Letters concerning the Corps of Engineers permit application must reference the applicant's name and the Permit Application Number, and be mailed to the Corps of Engineers at the address above, **ATTENTION: REGULATORY BRANCH**. Similar letters concerning the Water Quality Certification must reference the applicant's name and the WQC Application number and be mailed to the Louisiana Department of Environmental Quality at the address above. **Individuals or parties may request an extension of time in which to comment on the proposed work by writing or e-mailing the Corps of Engineers Project Manager listed above. Any request must be specific and substantively supportive of the requested extension, and received by this office prior to the end of the initial comment period. The Section Chief will review the request and the requestor will be promptly notified of the decision to grant or deny the request. If granted, the time extension will be continuous to the initial comment period and, inclusive of the initial comment period, will not exceed a total of 30 calendar days.**

The application for this proposed project is on file with the Louisiana Department of Environmental Quality and may be examined during weekdays between 8:00 a.m. and 4:30 p.m. Copies may be obtained upon payment of costs of reproduction.

Corps of Engineers Permit Criteria

The decision whether to issue a permit will be based on an evaluation of the probable impacts, including cumulative impacts of the proposed activity on the public interest. That decision will reflect the national concern for both protection and utilization of important resources. The benefit which reasonably may be expected to accrue from the proposal must be balanced against its reasonably foreseeable detriments. All factors which may be relevant to the proposal will be considered including the cumulative effects thereof; among those are conservation, economics, aesthetics, general environmental concerns, wetlands, historic properties, fish and wildlife values, flood hazards, floodplain values, land use, navigation, shoreline erosion and accretion, recreation, water supply and conservation, water quality, energy needs, safety, food and fiber production, mineral needs, considerations of property ownership and, in general, the needs and welfare of the people.

The U.S. Army Corps of Engineers is soliciting comments from the public, federal, state, and local agencies and officials, Indian Tribes, and other interested parties in order to consider and evaluate the impacts of this proposed activity. Any comments received will be considered by the U.S. Army Corps of Engineers to determine whether to make, modify, condition, or deny a permit for this proposal. To make this decision, comments are used to assess impacts on endangered species, historic properties, water quality, general environmental effects, and other public interest factors listed above. Comments are used in the preparation of an Environmental Assessment and/or an Environmental Impact Statement pursuant to the National Environmental Policy Act. Comments are also used to determine the need for a public hearing and to determine the overall public interest of the proposed activity.

The New Orleans District is unaware of properties listed on the National Register of Historic Places near the proposed work. The possibility exists that the proposed work may damage or destroy presently unknown archeological, scientific, prehistorical, historical sites, or data. Issuance of this public notice solicits input from the State Archeologist and State Historic Preservation Officer regarding potential impacts to cultural resources.

Our initial finding is that the proposed work will have no effect any species listed as endangered by the U.S. Departments of Interior or Commerce, nor affect any habitat designated as critical to the survival and recovery of any endangered species. Utilizing Standard Local Operating Procedure for Endangered Species in Louisiana (SLOPES) dated October 22, 2014, between the U.S. Army Corps of Engineers, New Orleans and U.S. Fish and Wildlife Service, Ecological Services Office, the Corps has determined that the proposed activity would have no effect on any listed species.

This notice initiates the Essential Fish Habitat (EFH) consultation requirements of the Magnuson-Stevens Fishery Conservation and Management Act. The applicant's proposal would result in the destruction or alteration of 0 acres of EFH utilized by various life stages of red drum and penaeid shrimp. Our initial determination is that the proposed action would not have a substantial adverse impact on EFH or federally managed fisheries in the Gulf of Mexico. Our final determination relative to project impacts and the need for mitigation measures is subject to review by and coordination with the National Marine Fisheries Service.


If the proposed work involves deposits of dredged or fill material into navigable waters, the evaluation of the probable impacts will include the application of guidelines established by the Administrator of the Environmental Protection Agency. Also, a certification that the proposed activity will not violate applicable water quality standards will be required from the Department of Environmental Quality, Water Quality Certifications, before a permit is issued.

Any person may request, in writing, within the comment period specified in this notice, that a public hearing be held to consider this application. Requests for public hearings shall state, with particularity, the reasons for holding a public hearing.

You are requested to communicate the information contained in this notice to any other parties whom you deem likely to have interest in the matter.

Darrell S. Barbara
Chief, Western Evaluation Section
Regulatory Branch

Enclosure



VICINITY MAP
NOT TO SCALE

RECON
Management · Engineering
Inspection
VICINITY MAP DWG


1907 RUTH STREET
SULPHUR, LA.

1:1

LAKE CHARLES METHANOL
TANK FARM SITE WORK
VICINITY MAP

FIGURE 1 OF 4

DRAWING PROVIDED BY CLIENT




RECON
 Management - Engineering
 Inspection
 PLAN.DWG

1907 RUTH STREET
 SULPHUR, LA.
 1:1

LAKE CHARLES METHANOL
 TANK FARM SITE WORK
 PLAN

FIGURE 2 OF 4

Total Earthen Fill: 107,000 cubic yds
 Total Concrete: 800 cubic yds
DRAWING PROVIDED BY CLIENT



NOT TO SCALE DIMENSIONS AS SHOWN

ReCON
Management • Engineering
Inspection


1907 RUTH STREET
SULPHUR, LA.

SECTIONS.DWG 1:1

LAKE CHARLES METHANOL
TANK FARM SITE WORK
SECTIONS

FIGURE 3 OF 4

Total Earthen Fill: 107,000 cubic yds
Total Concrete: 800 cubic yds
DRAWING PROVIDED BY CLIENT



SECTION 'D-D'

NOT TO SCALE DIMENSIONS AS SHOWN

<p>RECON Management • Engineering Inspection SECTIONS.DWG</p>	<p>1907 RUTH STREET SULPHUR, LA. 1:1</p>	<p>LAKE CHARLES METHANOL TANK FARM SITE WORK SECTIONS</p>	<p>FIGURE 4 OF 4</p>
--	--	---	-----------------------------

Total Earthen Fill: 107,000 cubic yds
 Total Concrete: 800 cubic yds
DRAWING PROVIDED BY CLIENT