

JOINT PUBLIC NOTICE

May 5, 2014

DEPARTMENT OF THE ARMY
NEW ORLEANS DISTRICT
CORPS OF ENGINEERS
REGULATORY FUNCTIONS BRANCH
P.O. BOX 60267
NEW ORLEANS, LA 70160

STATE OF LOUISIANA
DEPARTMENT OF ENVIRONMENTAL
QUALITY
OFFICE OF ENVIRONMENTAL
SERVICES
P.O. BOX 4313
BATON ROUGE, LA 70821-4313

STATE OF LOUISIANA
DEPARTMENT OF NATURAL
RESOURCES
OFFICE OF COASTAL MANAGEMENT
P.O. BOX 44487
BATON ROUGE, LA 70804-4487

Phone (504) 862- 1217

Fax (504) 862- 2574

Phone (225) 219-3225

Fax (225) 325-8250

Phone (225) 342-0884

Fax (225) 342-9439

Email jay.pecot@la.gov

COE REVIEWER:

Kenny Blanke
Kenneth.G.Blanke@usace.army.mil

DEQ REVIEWER:

Jamie Phillippe

OCM REVIEWER:

Jay Pecot

COE NUMBER:

MVN- 2010- 1694- CQ

WQC NUMBER:

100720- 02

CUP NUMBER:

P20100242

NAME: **SOUTH LAFOURCHE LEVEE DISTRICT**
c/o J. WAYNE PLAISANCE, INC.
P.O. DRAWER 730
GALLIANO, LA 70354
Attn: Andre Uzee

LOCATION: **Lafourche Parish, LA;** Lat. 29° 22' 47.77" N / Long. -90° 15' 30.69" W (POB - North Levee Reach), Lat. 29° 22' 39" N / Long. -90° 14' 40" W (POE - North Levee Reach), Lat. 29° 22' 25" N / Long. -90° 15' 27" W (POB - South Levee Reach), Lat. 29° 30' 37" N / Long. -90° 14' 26" W (POE - South Levee Reach); Section 17, T19S-R22E; Section 5, T20S-R22E; Louisiana Highway 308, Golden Meadow.

DESCRIPTION: Proposed construction of a series of levees totaling approximately 17,500' (55,000 cubic yards dredging and filling) to enclose a stormwater retention area with water control structures to prevent potential flooding of streets and property located within the existing South Lafourche Levee District Hurricane Protection Levee. Approximately 27 acres of wetlands and waterbottoms will be impacted from this project.

NOTICE the Louisiana Department of Natural Resources, Office of Coastal Management (OCM) has received the above application for a Coastal Use Permit (CUP) in accordance with the State and Local Coastal Resources Management Act of 1978, as amended, (Louisiana R.S. 49:214.21-214.41), and the rules and regulations of the Coastal Resources Program. Applications for the proposed work may be inspected at 617 North 3rd Street, Room 1078, Baton Rouge, LA or on the OCM web page at: <http://dnr.louisiana.gov/index.cfm?md=pagebuilder&tmp=home&pid=591>. Copies may be obtained upon payment of cost of copying. Written comments, including suggestions for modifications or objections to the proposed work and stating the reasons thereof, are being solicited from the public. Comments must be received within 25 days of the date of publication of this notice. Comments should be uploaded to our electronic record, but may be mailed, faxed or emailed to the designated OCM Reviewer. All comments must contain the appropriate application number and the commenter's full name and contact information.

Application also has been made to the Louisiana Department of Environmental Quality, Office of Environmental Services for a Water Quality Certification in accordance with La. R.S. 30.2074(A)(93), and Section 401 of the Clean Water Act (P.L. 95-217). Additional information is on file with the above office, and may be inspected at any time between 8:00 a.m. and 4:30 p.m. weekdays. Copies may be obtained upon payment of cost of copying. Comments concerning the application can be filed with the Office of Environmental Services within 20 days of this notice to the following address: Office of Environmental Services, P. O. Box 4313, Baton Rouge, LA 70821-4313.

The public comment period for Coastal Use Permit and Water Quality Certification applications begins on the date of publication of notice in the official journal (The Advocate), in accordance with LAC 43:I. 723(C)(5)(c). OCM will provide this date on request.

Additionally, interested parties are hereby notified that application has been received by the District Engineer

for a Department of the Army permit to authorize the following pursuant to Section 404 of the Clean Water Act (86 Stat. 816: 33 USC 1344) and/or Section 10 of the River and Harbor Act of 1899 (33 USC 403). The notice and notice policies of the Corps of Engineers - New Orleans District can be found on their webpage at: <http://www.mvn.usace.army.mil/ops/regulatory/publicnotices.asp>.

Any person may request, in writing, within the comment period specified in this notice, that a State or Federal public hearing be held to consider this application. Requests for public hearings shall state, with particularity, the reasons for holding a public hearing and must contain the name and contact information of the requester.

Attached Plats: 1) [P20100242](#) [Notice Plats](#) [05/11/2012](#)

The comment period for the Department of Army will close in **20 days** from the date of this public notice. Written comments, including suggestions for modifications or objections to the proposed work, stating reasons thereof, are being solicited from anyone having interest in this permit and must be mailed so as to be received before or by the last day of the comment period. Letters concerning the Corps of Engineers permit application must reference the applicant's name and the Permit Application Number, and be mailed to the Corps of Engineers at the address above, **ATTENTION: REGULATORY BRANCH**. Similar letters concerning the Water Quality Certification must reference the applicant's name and the WQC Application number and be mailed to the Louisiana Department of Environmental Quality at the address above.

The application for this proposed project is on file with the Louisiana Department of Environmental Quality and may be examined during weekdays between 8:00 a.m. and 4:30 p.m. Copies may be obtained upon payment of costs of reproduction.

Corps of Engineers Permit Criteria

The decision whether to issue a permit will be based on an evaluation of the probable impacts, including cumulative impacts of the proposed activity on the public interest. That decision will reflect the national concern for both protection and utilization of important resources. The benefit which reasonably may be expected to accrue from the proposal must be balanced against its reasonably foreseeable detriments. All factors which may be relevant to the proposal will be considered including the cumulative effects thereof; among those are conservation, economics, aesthetics, general environmental concerns, wetlands, historic properties, fish and wildlife values, flood hazards, floodplain values, land use, navigation, shoreline erosion and accretion, recreation, water supply and conservation, water quality, energy needs, safety, food and fiber production, mineral needs, considerations of property ownership and, in general, the needs and welfare of the people.

The US Army Corps of Engineers is soliciting comments from the public, federal, state, and local agencies and officials, Indian Tribes, and other interested parties in order to consider and evaluate the impacts of this proposed activity. Any comments received will be considered by the US Army Corps of Engineers to determine whether to make, modify, condition, or deny a permit for this proposal. To make this decision, comments are used to assess impacts on endangered species, historic properties, water quality, general environmental effects, and other public interest factors listed above. Comments are used in the preparation of an Environmental Assessment and/or an Environmental Impact Statement pursuant to the National Environmental Policy Act. Comments are also used to determine the need for a public hearing and to determine the overall public interest of the proposed activity.

The New Orleans District is unaware of properties listed on the National Register of Historic Places near the proposed work. The possibility exists that the proposed work may damage or destroy presently unknown archeological, scientific, prehistorical, historical sites, or data. Issuance of this public notice solicits input from the State Archeologist and State Historic Preservation Officer regarding potential impacts to cultural resources.

Our initial finding is that the proposed work would neither affect any species listed as endangered by the U.S. Departments of Interior or Commerce, nor affect any habitat designated as critical to the survival and recovery of any endangered species.

This notice initiates the Essential Fish Habitat (EFH) consultation requirements of the Magnuson-Stevens Fishery Conservation and Management Act. The applicant's proposal would result in the destruction or alteration of up to **860** acres of EFH utilized by various life stages of red drum and penaeid shrimp. Our initial determination is that the proposed action would not have a substantial adverse impact on EFH or federally managed fisheries in the Gulf of Mexico. Our final determination relative to project impacts and the need for mitigation measures is subject to review by and coordination with the National Marine Fisheries Service.


If the proposed work involves deposits of dredged or fill material into navigable waters, the evaluation of the probable impacts will include the application of guidelines established by the Administrator of the Environmental Protection Agency. Also, a certification that the proposed activity will not violate water quality standards will be required from the Department of Environmental Quality, Office of Environmental Services before a permit is issued.

Any person may request, in writing, within the comment period specified in this notice, that a public hearing be held to consider this application. Requests for public hearings shall state, with particularity, the reasons for holding a public hearing. You are requested to communicate the information contained in this notice to any other parties whom you deem likely to have interest in the matter.

The applicant has certified that the proposed activity described in the application complies with and will be conducted in a manner that is consistent with the Louisiana Coastal Resources Program. The Department of the Army permit will not be issued unless the applicant received approval or a waiver of the Coastal Use Permit by the Department of Natural Resources.

JOHN M. HERMAN
Chief, Central Evaluation Section
Regulatory Branch

Enclosures




THIS PROJECT IS LOCATED IN
 SEC. 17, & 18, T-19-S, R-22-E
 SEC. 5, 8, 16, 17, 20, & 21, T-20-S, R-22-E

SOUTH LAFOURCHE LEVEE DISTRICT
 EAST GOLDEN MEADOW RETENTION AREA
 VICINITY MAP: GOLDEN MEADOW QUAD
 GOLDEN MEADOW, LAFOURCHE PARISH, LA
 JANUARY 22, 2010, SCALE: 1" = 300'



J. WAYNE PLAISANCE, INC.
 CIVIL ENGINEERS & LAND SURVEYORS
 P. O. DRAWER 730, GALLIANO, LA 70354
 ph. (985)632-5596, fax (985)632-5628
 JPlaisance@JWaynePlaisance.com




SOUTH LAFOURCHE LEVEE DISTRICT
 EAST GOLDEN MEADOW RETENTION AREA
 YANKEE CANAL RETENTION LEVEE
 GOLDEN MEADOW, LAFOURCHE PARISH, LA
 JANUARY 22, 2010, SCALE: 1" = 1000'


SHEET 2 OF 5



J. WAYNE PLAISANCE, INC.
 CIVIL ENGINEERS & LAND SURVEYORS
 P. O. DRAWER 730, GALLIANO, LA 70354
 ph. (985)632-5596, fax (985)632-5628
 JPlaisance@JWaynePlaisance.com




CROSS SECTION A-A
 HOR. SCALE: 1" = 100'
 VER. SCALE: 1" = 5'



CROSS SECTION B-B
 HOR. SCALE: 1" = 100'
 VER. SCALE: 1" = 5'

GRAPHIC SCALE:
 1" = 5'





GRAPHIC SCALE: 1" = 100'

NOTE:
 APPROX. YARDAGE NEEDED:
 RIDGE RUNNING EAST TO WEST 0+00 TO STA 54+00: 40,000 cy
 RIDGE FROM STA 1060+00 TO STA 1191+00: 15,000 cy
 TOTALS 55,000 cy

NOTE:
 MEAN HIGH WATER IS +1.0 NGVD
 MEAN LOW WATER IS +0.25 NGVD
 APPROX. 15,000 cy OF FILL WILL BE
 NEEDED TO CONSTRUCT THE LEVEE
 FROM STA. 1060+00 TO 1191+00.






PROPOSED TIDAL EXCHANGE STRUCTURE
YANKEE CANAL LOCATION
SCALE: 1" = 500'

PROPOSED TIDAL EXCHANGE STRUCTURE
LOWER RIDGE LOCATION
SCALE: 1" = 500'

RETENTION SIDE

OUTER SIDE



PROPOSED TIDAL EXCHANGE STRUCTURE
TYPICAL CROSS SECTION
NOTE: NOT TO SCALE

NOTE:
MEAN HIGH WATER IS +1.0'. MEAN LOW WATER IS +0.25'.
EACH OF THE TWO TIDAL EXCHANGE STRUCTURES WILL
HAVE TWO 36" CULVERTS WITH A MANUALLY OPERATED
SCREW GATE ON THE OUTER SIDE.

