

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE	PAGE OF PAGES 1 of 10
2. AMENDMENT/MODIFICATION NO. 0002	3. EFFECTIVE DATE 13-Jan-2006	4. REQUISITION/PURCHASE REQ. NO.		5. PROJECT NO.(If applicable)
6. ISSUED BY USACE, CONTRACTING DIVISION ATTN: CEMVN-CT, ROOM 172 7400 LEAKE AVE. NEW ORLEANS LA 70118-3651	CODE W912P8	7. ADMINISTERED BY (If other than item 6) USACE, CONTRACTING DIVISION P. O. BOX 60267 NEW ORLEANS LA 70160-0267		CODE W912P8
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)			X	9A. AMENDMENT OF SOLICITATION NO. W912P8-06-R-0079
			X	9B. DATED (SEE ITEM 11) 11-Jan-2006
				10A. MOD. OF CONTRACT/ORDER NO.
				10B. DATED (SEE ITEM 13)
CODE	FACILITY CODE			
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS				
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input type="checkbox"/> is extended, <input checked="" type="checkbox"/> is not extended.				
Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.				
12. ACCOUNTING AND APPROPRIATION DATA (If required)				
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.				
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.				
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).				
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:				
D. OTHER (Specify type of modification and authority)				
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.				
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) The above numbered solicitation Lake Pontchartrain Louisiana & Vicinity Chalmette Area Plan Emergency Restoration MRGO to Caernarvon (B/L Sta. 1007+92 to B/L Sta. 1113+00) & Verret to Caernarvon (Non-Continuous) Hurricane Protection Levee St. Bernard Parish, Louisiana PROPOSAL DUE DATE AND TIME REMAIN UNCHANGED				
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.				
15A. NAME AND TITLE OF SIGNER (Type or print)			16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)	
			TEL: _____ EMAIL: _____	
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA		16C. DATE SIGNED
_____ (Signature of person authorized to sign)		BY _____ (Signature of Contracting Officer)		13-Jan-2006

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

The following items are applicable to this modification:CONTINUATION PAGE

1. Section 01330 was inadvertently omitted from the solicitation inserting the attached section 01130.

2. Section 01100. Delete paragraph under paragraph 17 SPECIAL WORK REQUIREMENTS and replace with the following:
 - a. The Contractor shall coordinate his/ her work, including site access and equipment storage, with the adjacent and on-going construction along the reach of levee from MRGO B/L Sta. 714+55 to Sta. 1007+91. "

 - b. For information pertaining to the replacement of the jack pedestal, see drawing C12. The removal and replacement of the screw jack will not be measured for payment. Payment will be made at the contract lump sum price for "Repair Jack Pedestal". Price and payment shall constitute full compensation for furnishing all plant, labor, material and equipment and performing all operations necessary for repairing the jack pedestal as indicated on the drawings."

3. Delete drawing C12 dated Dec 05 in its entirety & issue revised drawing C12 bearing revision number 1, dated 13 Jan 06.

Section Table of Contents

SECTION 01330 - SUBMITTAL PROCEDURES

PART 1 GENERAL 1

1.1 .SUBMITTAL IDENTIFICATION DEFINITIONS 1

1.2 .SUBMITTAL CLASSIFICATION 2

1.2.1 Government Approved 2

1.2.2 Information Only 2

1.3 .APPROVED SUBMITTALS 2

1.4 .DISAPPROVED SUBMITTALS 3

1.5 .MEASUREMENT AND PAYMENT 3

PART 2 PRODUCTS (Not Applicable) 3

PART 3 EXECUTION 3

3.1 .GENERAL 3

3.2 .SUBMITTAL REGISTER (ENG FORM 4288) 4

3.3 .SCHEDULING 4

3.4 .TRANSMITTAL FORM (ENG FORM 4025) 4

3.5 .SUBMITTAL PROCEDURE 4

3.5.1 Procedures 4

3.5.2 Deviations 5

3.6 .CONTROL OF SUBMITTALS 5

3.7 .GOVERNMENT APPROVED SUBMITTALS 5

3.8 .INFORMATION ONLY SUBMITTALS 5

3.9 .STAMPS 5

SECTION 01330 - SUBMITTAL PROCEDURES

PART 1 GENERAL

1.1 SUBMITTAL IDENTIFICATION DEFINITIONS

Data

Submittals which provide calculations, descriptions, or documentation regarding the work.

Drawings

Submittals which graphically show relationship of various components of the work, schematic diagrams of systems, details of fabrication, layouts of particular elements, connections, and other relational aspects of the work.

Instructions

Preprinted material describing installation of a product, system or material, including special notices and material safety data sheets, if any, concerning impedances, hazards, and safety precautions.

Schedules

Tabular lists showing location, features, or other pertinent information regarding products, materials, equipment, or components to be used in the work.

Statements

A document, required of the Contractor, or through the Contractor, from a supplier, installer, manufacturer, or other lower tier Contractor, the purpose of which is to confirm the quality or orderly progression of a portion of the work by documenting procedures, acceptability of methods or personnel, qualifications, or other verifications of quality.

Reports

Reports of inspections or tests, including analysis and interpretation of test results.

Certificates

Statement signed by an official authorized to certify on behalf of the manufacturer of a product, system or material, attesting that the product, system or material meets specified requirements. The statement must be dated after the award of the contract,

must state the Contractor's name and address, must name the project and location, and must list the specific requirements which are being certified.

Samples

Samples, including both fabricated and unfabricated physical examples of materials, products, and units of work as complete units or as portions of units of work.

Records

Documentation to record compliance with technical or administrative requirements.

Operation and Maintenance Manuals

Data which forms a part of an operation and maintenance manual.

1.2 SUBMITTAL CLASSIFICATION

Submittals are classified as follows:

1.2.1 Government Approved

Governmental approval is required for extensions of design, critical materials, deviations, equipment whose compatibility with the entire system must be checked, and other items as designated by the Contracting Officer. Within the terms of the Contract Clause in section 00700 entitled, Specifications And Drawings For Construction (FAR 52.236-21), they are considered to be "shop drawings." Any reference to Government approval by the Contracting Officer (CO) includes the approving authority of the CO, the Administrative Contracting Officer (ACO), or the Contracting Officer's Representative (COR).

1.2.2 Information Only

All submittals not requiring Government approval will be for information only. They are not considered to be "shop drawings" within the terms of the Contract Clause referred to above.

1.3 APPROVED SUBMITTALS

The Contracting Officer's approval of submittals shall not be construed as a complete check, but will indicate only that the general method of construction, materials, detailing and other information are satisfactory. Approval will not relieve the Contractor of the responsibility for any error which may exist, as the Contractor under the CQC requirements of this contract is responsible for dimensions, the design of adequate connections and details, and the satisfactory construction of all work. After submittals have been approved by the Contracting Officer, no resubmittal for the

purpose of substituting materials or equipment will be considered unless accompanied by an explanation of why a substitution is necessary.

1.4 DISAPPROVED SUBMITTALS

The Contractor shall respond to all concerns expressed by the Contracting Officer and promptly make any corrections necessary to address those concerns. The Contractor shall promptly furnish a corrected submittal in the form and number of copies specified for the initial submittal. If the Contractor considers any correction indicated on the submittals to constitute a change to the contract, a notice in accordance with the Contract Clause in Section 00700 entitled, Changes (FAR 52.243-4), shall be given promptly to the Contracting Officer.

1.5 MEASUREMENT AND PAYMENT

No separate measurement or payment will be made for submittal requirements as specified herein. Payment for the work covered under this section shall be distributed throughout the existing bid items. Payment for materials incorporated in the work will not be made if required approvals have not been obtained.

PART 2 PRODUCTS (Not Applicable)

PART 3 EXECUTION

3.1 GENERAL

The Contractor shall submit all items listed on the Submittal Register (ENG Form 4288) or specified in the other sections of these specifications. The Contractor shall make submittals as required by the specifications. The Contracting Officer may request submittals in addition to those specified when deemed necessary to adequately describe the work covered in the respective sections. Units of weights and measures used on all submittals shall be the same as those used in the contract drawings. Submittals shall be made in the respective number of copies and to the respective Area Office address listed in the Contract Clause in Section 00700, entitled Site Visit Assistance (Construction) (FAR 52.236-27). Each submittal shall be complete and in sufficient detail to allow ready determination of compliance with contract requirements. Prior to submittal, all items shall be checked and approved by the Contractor's Quality Control (CQC) representative and each item shall be stamped, signed, and dated by the CQC representative indicating action taken. Proposed deviations from the contract requirements shall be clearly identified. Submittals shall include items such as: Contractor's, manufacturer's, or fabricator's drawings; descriptive literature including (but not limited to) catalog cuts, diagrams, operating charts or curves; test reports; test cylinders; samples; O&M manuals (including parts list); certifications; warranties; and other such required submittals. Submittals requiring Government approval shall be scheduled and made prior to the acquisition of the material or equipment covered thereby. Samples remaining upon

completion of the work shall be picked up and disposed of in accordance with manufacturer's Material Safety Data Sheets (MSDS) and in compliance with existing laws and regulations.

3.2 SUBMITTAL REGISTER (ENG FORM 4288)

At the end of this section is one set of ENG Form 4288 listing items of equipment and materials for which submittals are required by the specifications; this list may not be all inclusive and additional submittals may be required. Columns "c" thru "q" have been completed by the Government. The Contractor shall complete columns "a", "b", and "r" thru "w", and return 4 completed copies to the Contracting Officer for approval within 5 calendar days after Notice to Proceed for approval. The approved submittal register will become the scheduling document and will be used to control submittals throughout the life of the contract. The submittal register and the progress schedules shall be coordinated. The Contractor shall maintain an effective submittal control system by reviewing and updating the register every thirty (30) days and submitting updated copies to the Resident Engineer every sixty (60) days.

3.3 SCHEDULING

Submittals covering component items forming a system or items that are interrelated shall be scheduled to be coordinated and submitted concurrently. Certifications to be submitted with the pertinent drawings shall be so scheduled. Adequate time (a minimum of 3 calendar days exclusive of mailing time) shall be allowed and shown on the register for review and approval. No delays, damages or time extensions will be allowed for time lost in late submittals.

3.4 TRANSMITTAL FORM (ENG FORM 4025)

The sample transmittal form (ENG Form 4025) attached to this section shall be used for submitting both Government approved and information only submittals in accordance with the instructions on the reverse side of the form. This form shall be properly completed by filling out all the heading blank spaces and identifying each item submitted. Special care shall be exercised to ensure proper listing of the specification paragraph and/or sheet number of the contract drawings pertinent to the data submitted for each item.

3.5 SUBMITTAL PROCEDURE

Submittals shall be made as follows:

3.5.1 Procedures

Procedures for submittals will be stipulated by the Contracting Officer at the preconstruction conference.

3.5.2 Deviations

For submittals which include proposed deviations requested by the Contractor, the column "variation" of ENG Form 4025 shall be checked. The Contractor shall set forth in writing the reason for any deviations and annotate such deviations on the submittal. The Government reserves the right to rescind inadvertent approval of submittals containing unnoted deviations.

3.6 CONTROL OF SUBMITTALS

The Contractor shall carefully control his procurement operations to ensure that each individual submittal is made on or before the Contractor scheduled submittal date shown on the approved "SUBMITTAL REGISTER."

3.7 GOVERNMENT APPROVED SUBMITTALS

Upon completion of review of submittals requiring Government approval, the submittals will be identified as having received approval by being so stamped and dated. Five (5) copies of the submittal will be retained by the Contracting Officer and 2 copies of the submittal will be returned to the Contractor.

3.8 INFORMATION ONLY SUBMITTALS

Normally submittals for information only will not be returned. Approval of the Contracting Officer is not required on information only submittals. The Government reserves the right to require the Contractor to resubmit any item found not to comply with the contract. This does not relieve the Contractor from the obligation to furnish material conforming to the plans and specifications; will not prevent the Contracting Officer from requiring removal and replacement of nonconforming material incorporated in the work; and does not relieve the Contractor of the requirement to furnish samples for testing by the Government laboratory or for check testing by the Government in those instances where the technical specifications so prescribe.

3.9 STAMPS

Stamps used by the Contractor on the submittal data to certify that the submittal meets contract requirements shall be similar to the following:

Contractor

(Firm Name)


_____ Approved

_____ Approved with corrections as noted on submittal data and/or attached sheets(s).


SIGNATURE: _____

TITLE: _____


DATE: _____



Safety is a Part of Your Contract



NOTE:
FACILITIES ENCRANCHING ON THE RIGHT-OF-WAY LIMITS WILL NOT BE AFFECTED BY THE LEVEE RECONSTITUTION WORK.



PROFILE
HORIZONTAL SCALE 1" = 200'
VERTICAL SCALE 1" = 5'

REPAIR NOTES:

1. REPAIR PROTECTED SIDE SCOUR HOLE ON EAST SIDE OF RAILROAD FLOODGATE. SCOUR HOLE SHALL BE REPAIRED BY BACKFILLING HOLE WITH CRUSHED STONE TO A LEVEL OF 4 INCHES ABOVE NATURAL GROUND.
2. FROM APPROXIMATE STA. 1561+00 TO 1572+48, ALONG ENTIRE LENGTH OF EXISTING I-WALL, FLOODSIDE EMBANKMENT SHALL BE RE-DRESSED AS FOLLOWS:
 - A. REMOVE MUCK MATERIAL CLAY.
 - B. RE-SHAPE OR ADD NEW FILL TO SECTION.
 - C. FERTILIZE AND SEED EMBANKMENT.
 - D. SEE REFERENCE DRAWING H-4-26841-5 FOR DETAILS.
3. REPAIR JACK PEDESTAL AT RR GATE AS FOLLOWS:
 - A. SEE REFERENCE DWG H-4-26841-19 FOR DETAILS OF SCREW JACK AND PEDESTAL.
 - B. THE NEW SCREW JACK FOR THE SWING GATE SHALL HAVE A 12-TON RATED CAPACITY WITH A 1-1/2 BY 8-INCH MALLEABLE BASE, 10-3/4-INCH CLOSED HEIGHT, 15-3/4-INCH EXTENDED HEIGHT, BELL BOTTOM, BALL-BEARING SCREW JACK AS MANUFACTURED BY SIMPLEX MODEL NO. 03090, OR AN APPROVED EQUAL.
 - C. THE THREADS ON SCREW JACK, SHALL BE LUBRICATED WITH AN APPROVED LUBRICANT AND MAINTAINED IN SATISFACTORY CONDITION UNTIL ACCEPTANCE OF THE WORK BY THE GOVERNMENT.
 - D. THE SCREW JACK SHALL BE FABRICATED, ASSEMBLED, AND INSTALLED IN ACCORDANCE WITH THE DETAILS AND THE MATERIALS MENTIONED ABOVE AND SHOWN ON THE REFERENCE DRAWING.

EXISTING R/W TABULATIONS			
NO.	STATION	OFFSET	ANGLE
①	1561+00.00	10.43' PS	*
②	1561+00.00	130.00 PS	*
③	1561+55.73	191.10' PS	*
④	1561+84.16	121.10' PS	*
⑤	1571+20.55	19.36' FS	*
⑥	1571+30.19	44.92' PS	*
⑦	1572+48.12	17.15' PS	*
⑧	1572+73.12	37.99' PS	*
⑨	1572+67.79	173.34' FS	*
⑩	1572+86.91	95.62' FS	*
⑪	1573+50.00	163.79' FS	*
⑫	1573+50.00	88.28' FS	*
⑬	1574+16.40	39.48' PS	107°01'21.54"
⑭	1574+16.40	39.48' FS	107°01'21.54"
⑮	1575+40.00	43.82' PS	*
⑯	1575+40.00	43.82' FS	*

U.S. ARMY CORPS OF ENGINEERS
MISSISSIPPI VALLEY DISTRICT
EMERGENCY RESTORATION
PLAN AND PROFILE
NO. 1588-38.77 B/L

DATE: 1-13-08
BY: S.J.M.
APPROVED: [Signature]

SHEET IDENTIFICATION NUMBER: C-12