

|   |  |                                  |  |                          |   |
|---|--|----------------------------------|--|--------------------------|---|
| <b>AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT</b>   |  |                                  |  | 1. CONTRACT ID CODE<br>J | PAGE OF PAGES<br>1   3                                |
| 2. AMENDMENT/MODIFICATION NO.<br>0002   |  | 3. EFFECTIVE DATE<br>17-Jan-2006 | 4. REQUISITION/PURCHASE REQ. NO.                                   |                          | 5. PROJECT NO.(If applicable)<br>OEB9 - FOLEY         |
| 6. ISSUED BY<br>USACE, CONTRACTING DIVISION<br>ATTN: CEMVN-CT, ROOM 172<br>7400 LEAKE AVE.<br>NEW ORLEANS LA 70118-3651   |  | CODE<br>W912P8                   | 7. ADMINISTERED BY (If other than item 6)<br><br><b>See Item 6</b> |                          |   |
| 8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)   |  |                                  |  | X                        | 9A. AMENDMENT OF SOLICITATION NO.<br>W912P8-06-R-0095 |
|   |  |                                  |  | X                        | 9B. DATED (SEE ITEM 11)<br>16-Jan-2006                |
|   |  |                                  |  |                          | 10A. MOD. OF CONTRACT/ORDER NO.                       |
|   |  |                                  |  |                          | 10B. DATED (SEE ITEM 13)                              |
| CODE  |  | FACILITY CODE                    |  |                          |   |
| <b>11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS</b>  |  |                                  |  |                          |   |
| <input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input type="checkbox"/> is extended, <input checked="" type="checkbox"/> is not extended.<br>Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods:<br>(a) By completing Items 8 and 15, and returning <u>1</u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted;<br>or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified. |  |                                  |  |                          |   |
| 12. ACCOUNTING AND APPROPRIATION DATA (If required)   |  |                                  |  |                          |   |
| <b>13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS.<br/>IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.</b>   |  |                                  |  |                          |   |
| A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.  |  |                                  |  |                          |   |
| B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).   |  |                                  |  |                          |   |
| C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:  |  |                                  |  |                          |   |
| D. OTHER (Specify type of modification and authority)   |  |                                  |  |                          |   |
| E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.   |  |                                  |  |                          |   |
| 14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)<br>The above solicitation for Lake Pontchartrain, Louisiana and Vicinity, New Orleans Area Plan Emergency Rsetoration, Interim Closure Structure 17th Street Canal, Orleans Parish, Louisiana is amended as follows:<br><br>SEE CONTINUATION SHEETS<br><br>The Hour and Date Specified for Receipt of Proposals is NOT extended.  |  |                                  |  |                          |   |
| Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.  |  |                                  |  |                          |   |
| 15A. NAME AND TITLE OF SIGNER (Type or print)   |  |                                  | 16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)         |                          |   |
|   |  |                                  | TEL: _____ EMAIL: _____  |                          |   |
| 15B. CONTRACTOR/OFFEROR   |  | 15C. DATE SIGNED                 | 16B. UNITED STATES OF AMERICA                                      |                          | 16C. DATE SIGNED                                      |
| _____<br>(Signature of person authorized to sign)   |  |                                  | BY _____<br>(Signature of Contracting Officer)                     |                          | 17-Jan-2006   |

## SECTION SF 30 BLOCK 14 CONTINUATION PAGE

**The following items are applicable to this modification:**

## a. Description of Work.

(1). The Change.

(a). Perform the following Pen and Ink Changes to the specifications:

(2). Specifications.

(a). Section MAIN TABLE OF CONTENTS. Revise the Division 15 title from "EQUIPMENT" to "MECHANICAL".

(b). Section 00010, Bidding Schedule. Revise the project title to, "INTERIM CLOSURE STRUCTURE 17<sup>TH</sup> STREET CANAL".

(c). Section 00700, Page 13, Clause 52.211-10, revise (c) to read, "complete the entire work ready for use not later than 130 calendar days after the date of receipt by him of notice to proceed. The time stated for completion shall not include final cleanup of the premises."

(d). Section 00700, Page 115, Clause 252.236-7001, revise (a) to read, " (a) The Government will provide to the Contractor, without charge, five (5) sets of contract drawings and specifications, except publications incorporated into the technical provisions by reference, in electronic or paper media as chosen by the Contracting Officer."

(e). Section 01100, add additional survey drawings as referenced in paragraph 17 (i) to end of section.

(f). Section 02200, Paragraph 3.3.5.5. Revise the first two sentences of the paragraph to read, "Soil borings of the Contractor- furnished borrow area shall be provided by the Contractor to a depth of at least five (5) feet below the depth of planned excavation. The borings shall be at a spacing that will adequately define the material in the pit but in no case spaced greater than five hundred (500) feet on centers."

(g). Section 02200, Paragraph 3.3.6. Revise the second sentence of the paragraph to read, "An environmental assessment requires a minimum of ten (10) days for review, processing, and approval time by the Government. ."

(h). Section 02200, Paragraph 3.4. Revise the second paragraph to read, "Ground surface on which backfill is to be placed shall be prepared as specified in paragraph 3.4."

(i). Section 02411, Paragraph 2.4. Revise the ASTM A 352 and A 490 bolts to Type 3 bolts in lieu of Type 1.

(j). Section 02411, Paragraph 3.1.1.2. Revise the third sentence of the paragraph to read, "A tolerance of three (3) inches above or below the indicated cut-off elevation will be permitted for pilings below water."

(k). Section 02413, Paragraph 1.5.1.1. Revise paragraph to state the construction descriptions shall be submitted ten days prior to commencement of cell construction.

(l). Section 02413, Paragraph 2.1.1. Revise the fifth sentence of the paragraph to read, "Piling shall be furnished, set and driven in full lengths." Also add, "Type 3" after "ASTM A 325" in the third sentence.

(m). Section 02413, Paragraph 3.1.2.2. Revise the paragraph to read, "Piles which are to be driven shall be driven by approved methods in such a manner as not to subject the piles to damage and to insure proper interlocking throughout the length of the piles. Pile hammers shall be of approved sizes and types necessary to install the piling as specified, and shall be maintained in proper alignment during driving operations by use of suitable leads or by guides attached to the hammer. Probes, pile driving aids or other devices and techniques to remove or penetrate obstructions may be required to accomplish installation of sheet piling. Adequate precautions shall be taken to insure that piles are driven plumb. If a pile next to the one being driven tends to follow below final grade, it may be temporarily pinned or welded to the next adjacent pile. Piles driven out of interlock with adjacent piles, or otherwise damaged, shall be removed and replaced with a pile that meets the specifications at the Contractor's expense.."

(n). Section 02462, Paragraph 1.4, Pile Driving Records. Revise the time for the Contractor to submit these records to ten days prior to commencement of work.

(o). Section 05120, Table of Contents. Revise 1.1.1 to read, "Pipe Jackets".

(p). Section 09940, Paragraph 3.1.2. Revise SSPC SP5 to read SSPC SP 10 in both loactions.

(q). Section 09940, Paragraph 3.4. Delete the phrase, "Pipe Piles (where indicated on the drawing)" from the paragraph.

(4). Contract Drawings.

None















