

<b>AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT</b>			1. CONTRACT ID CODE	PAGE OF PAGES 1   16
2. AMENDMENT/MODIFICATION NO. 0004	3. EFFECTIVE DATE 8-4-00	4. REQUISITION/PURCHASE REQ. NO.	5. PROJECT NO. (If applicable)	
6. ISSUED BY US ARMY ENGR DIST NEW ORLEANS PO BOX 60267 NEW ORLEANS LA 70160-0267  SHEILA ENCLADE 504-862-1514	CODE	7. ADMINISTERED BY (If other than Item 6) US ARMY ENGR DIST, NEW ORLEANS ATTN: CEMVN-CT-R PO BOX 60267 NEW ORLEANS LA 70160-0267	CODE	
8. NAME AND ADDRESS OF CONTRACTOR (No., street, county, State and ZIP code)		(X)	9A. AMENDMENT OF SOLICITATION NO. DACW29-00-B-0005	
		X	9B. DATED (SEE ITEM 11) 10-15-99	
			10A. MODIFICATION OF CONTRACT/ORDER NO.	
			10B. DATED (SEE ITEM 13)	
CODE	FACILITY CODE			
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS				
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers <input checked="" type="checkbox"/> is extended, <input type="checkbox"/> is not extended. Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing Items 8 and 15, and returning <u>1</u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGEMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.				
12. ACCOUNTING AND APPROPRIATION DATA (If required)				
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.				
(X)	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.			
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO AUTHORITY OF FAR 43.103(b).			
	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:			
	D. OTHER (Specify type of modification and authority)			
<b>E. IMPORTANT:</b> Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.				
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)				
THE ABOVE NUMBERED SOLICITATION FOR COMPETITIVE 8(a), SOUTHEAST LOUISIANA, DWYER ROAD DRAINAGE PUMPING STATION IMPROVEMENTS, DISCHARGE TUBES & CANAL, ORLEANS PARISH, LA, IS HEREBY AMENDED AS FOLLOWS:				
<b>BID OPENING DATE</b> <b>BID OPENING DATE &amp; TIME OF 24 AUGUST 2000, 2:00 P.M., LOCAL TIME AT PLACE OF BID OPENING, IS HEREBY ESTABLISHED.</b>				
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.				
15A. NAME AND TITLE OF SIGNER (Type or print)		16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)		
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA	16C. DATE SIGNED	
_____ (Signature of person authorized to sign)		BY _____ (Signature of Contracting Officer)		

### SECTION 00010

Pages 4 & 5, Bidding Schedule. Delete the pages in their entirety and substitute the attached revised pages 4 & 5, therefor.

### SECTION 00800

1. Page 6, sub-paragraph 10.b. In the first line change "\$1,000,000.00" to "\$10,000.00".
2. WAGE RATES following Section 00800. Delete "General Decision Number LA990013" dated 03/12/1999 pages 1 thru 2 in their entirety and substitute the attached revised "General Decision Number LA000012" dated 07/14/2000 pages 1 thru 4.

### SECTION 01100

1. Page 4, paragraph 3.h. Safety Fence. Delete subparagraph "h" in its entirety and substitute the following:

"h. Safety Fence. The Contractor shall provide, erect and maintain a continuous temporary safety fence around the limits of work.. Fencing shall be chain link and a minimum of 6-feet high. Swing gates shall be at least 12-feet wide by 6-feet high. Post, fabric and other materials shall be in accordance with fencing materials in Section 02830 except that no barbed wire, extension arms and continuous top rails will be required. All gates shall be closed and padlocked at the end of each workday. The Contractor shall provide five (5) sets of keys for each gate to the Contracting Officer. When necessary, an owner of a facility located within the limits of work will obtain keys from the Contractor. The Contractor shall provide and maintain on the fence "KEEP OUT" signs every 100-feet facing out from the work site. Details of the safety fencing, alignment and gate locations shall be submitted to the Contracting Officer for review and approval. No separate measurement and payment will be made for this work. Payment for all work associated with providing, erecting, maintaining and disposition of the temporary safety fence shall be distributed throughout the existing bid items."

2. Page 4, paragraph 3. Add the following new subparagraphs after subparagraph 3.k:

"l. Noise Control. The Contractor shall include noise as a factor in planning his operations and be fully aware of the necessity to take noise-reduction measures, including modifications to the pile driver or other equipment, in the event that the noise levels exceed 85 decibels, OSHA and/or local ordinances, whichever is more restrictive. All Construction machinery and vehicles shall be equipped with practical, functioning sound muffling devices, and operated in a manner to cause the least noise, while still consistent with efficient performance for the work.

m. Dust Control. The Contractor shall take reasonable measures to prevent unnecessary dust. Each surface subject to dusting shall be kept moist with water or by application of a chemical dust suppressant. Dusty materials in piles or in transit shall be covered to prevent blowing.

n. Cranes. The Contractor (including subcontractors) shall have cage boom guards, insulating links, or proximity warning devices on cranes that will be working adjacent to power lines. These devices shall not alter the requirements of any other regulation of this part - even if such device is required by law or other regulation. Insulating links shall be capable of withstanding a 1-minute dry low frequency dielectric test of 50,000 volts, alternating current (EM 385-1-1, Section 11.E.07). Calibration records or stamped date of required manufacturer inspection of proximity warning devices shall be kept on the crane. Additionally, prior to any work commencing an Activity Hazard Analysis (EM 385-1-1, Fig.1-1) identifying and satisfying EM 385-1-1, Section 11.A.02, 11.E.03, 11.E.04 and 11.E.05 requirements shall be submitted and accepted by the Contracting Officer.”

3. Page 5, paragraph 4.a. Delete lines 25 thru 33 in their entirety and substitute the following:

“four (4) four-drawer file cabinets, an electronic burglar alarm system, a desktop computer with Microsoft Windows 98, Microsoft Office 2000, a 17-inch color monitor and a color bubble-jet printer. The computer shall meet the following minimum requirements: Pentium III 500 MHz processor, 128 Mb SDRAM, 13.0 GB hard drive, one 3-1/2 inch floppy disk drive, one Microsoft mouse, a 24X CD-ROM drive and an internal fax/modem (56k U.S. Robotics or equal) linked via telephone line interface (TLI) module. The Contractor shall bear all costs for preventative and corrective maintenance to the computer hardware and software throughout the contract period. If the computer equipment requires repair, the repair shall be completed in five (5) business days or less or the computer shall be replaced at the Contractor's expense. The building or trailer shall meet the following”

4. Pages 5 & 6, Paragraph 4.d. In the 1<sup>st</sup> thru 7<sup>th</sup> lines, delete the first three sentences in their entirety and substitute the following therefor:

"d. The Contractor shall also furnish and maintain throughout the contract period, a temporary waterproof building or trailer, for the exclusive use of the New Orleans Sewerage and Water Board's inspector to be utilized as a field office. Toilet facilities and potable water shall be provided within the field office.”

5. Page 20, paragraph 22, Item h. Change “(16” x 16”)” to “(14” x 14”)”.

6. Page 21, paragraph 24.a. On the 3<sup>rd</sup> line, insert the following after the 4th sentence: “The Contractor shall include in the flood protection plan the methods, equipment and actions to flood the excavation on the land side of the existing floodwall when the water level in the IHNC exceeds EI. 25.5 C.D.”

7. Page 22, paragraph 27. Delete this paragraph in its entirety and substitute the following therefor:

“27. VIBRATION MONITORING (ACTION PLAN).The Sewerage and Water Board of New Orleans will contract with an independent testing laboratory, to perform monitoring of vibrations before, during, and after pile driving operations. The Contractor shall notify the Contracting Officer and the Sewerage and Water Board of New Orleans by certified mail at least 15 days prior to starting pile-driving operations. Vibrations will be limited to a particle velocity of 0.25 inches per second at the construction easement. The Contractor shall submit a submittal of his plan of action that he shall take in the event he exceeds the particle velocity of 0.25 inches per second at the construction easement. This submittal should be submitted 45 days prior to any work undertaken that could cause him to exceed the particle velocity of 0.25 inches per second. The Contractor will be informed by the Contracting Officer when the vibrations from his operations have exceeded the above limit. The Contractor shall take immediate action to reduce the vibrations to within the acceptable threshold. The Contractor should inform the Contracting Officer of his action taken when he exceeds the 0.25 inches per second.”

#### SECTION 01330

Page 5, paragraph 3.7. In the 6<sup>th</sup> line, replace “Five(5)” with “Eleven(11)”.

#### SECTION 02102

1. Page 1, paragraph 3. In the final line of the table, replace “ 1/2” “ with “ 3/4” “ .
2. Page 3, paragraphs 6.4.1(1) and 6.4.2(1). In the 2<sup>nd</sup> lines replace “Dry Fill Thickness” with “Dry Film Thickness”.

#### SECTION 02103

1. Page 1, paragraph 1. In the 13<sup>th</sup> line, delete “, ballast and sub-ballast” in its entirety.
2. Page 2, paragraph 3.1. In the 8<sup>th</sup> line, replace “bridge structure” with “bridge superstructure”.
3. Page 2, Paragraph 3.2. In the first sentence, change both occurrences of “bridge structure(s)” to “bridge superstructure(s)”.

#### SECTION 02140

1. Page 3, paragraph 4(4). Delete the last sentence in its entirety.
2. Page 3, paragraph 4(5). At the end of the paragraph insert the following:  
“The sand strata below elevation 5.50 CD shall be pressure relieved to a minimum and maximum piezometric head of 3 feet and 6 feet below the excavation bottom, respectively.”

3. Page 4, paragraph 7.(1). In the final sentence, between “power supply” and “such that”, insert the words “on-site”.
4. Page 4, paragraph 7.(1). Add the following at the end of the paragraph: “In the event the water surface elevation in the Inner Harbor Navigation Canal exceeds 25.50 CD and the temporary retaining structure is flooded, the Contractor shall dewater the structure as directed by the Contracting Officer in accordance with this Section. The Contractor shall be compensated in accordance with the General Provision entitled “DAMAGE TO WORK” and the Section 00700 Contract Clause entitled “CHANGES” (FAR 52.243-4-AUG 1987) as applicable. In order to assure that the standby system is brought on-line in sufficient time to prevent foundation damage, the system shall either be manned 24-hours a day, including weekends and holidays, by personnel capable of operating the system or provided with a Contracting Officer approved automated system, which assures the requirements of paragraph 4(3) and 4(5) above are maintained. The automated system shall be an AC power monitoring system with a one-way wireless transmitting system. The automated system shall include a switch gear transfer from the city power to the onsite generator. The Contractor shall designate 3 individuals who shall be available on a 24-hour - 7 day/week basis. The automated system as manufactured by TYCO or equal.”
5. Page 5, paragraph 7.(9). In the first sentence delete “, as shown on the drawings,”.
6. Page 5, paragraph 7.(12). Delete this paragraph in its entirety and substitute the following:

“(12) The rate of unwatering or rewatering the excavation shall meet the Contracting Officer’s requirements for operation yet provide for a stable excavation. Additional provisions and requirements for emergency flooding are specified in paragraph 01100-24.”

#### SECTION 02171

1. Page 2, paragraph 4.2. In the 3<sup>rd</sup> line insert “The sheet pile shall not be cold rolled sheet pile.” after the first sentence.
2. Page 2, paragraph 4.2. In the 8<sup>th</sup> line, change “end of this section.” to “end of Section 02140.”
3. Page 2, Paragraph 4.2. At the end of the paragraph, insert: “At a minimum, the temporary retaining structure shall be designed for a water surface elevation of 25.5 CD”.

#### SECTION 02220

1. Page 2, paragraph 4.2.1. In the 4<sup>th</sup> line, change “paragraph 5.4” to “paragraph 5.3”.

2. Page 3, paragraph 5.3.1. Delete the first sentence in its entirety and substitute “Excavated materials, which comply with the requirements for backfill in 02222-3, shall either be placed directly therein, or stockpiled, at no additional cost to the Government, in an approved area.”

3. Page 3, paragraph 5.3.2. In the 3<sup>rd</sup> line, between “excess material shall” and “be disposed of off site”, insert the words “become property of the Contractor and shall”.

#### SECTION 02222

1. Page 2, paragraph 2.(6).(a).1. In the 6<sup>th</sup> line of the subparagraph, replace “compaction curbs” with “compaction curves”, and delete the last two sentences of this paragraph in their entirety.

2. Page 2, paragraph 2.(6).(a).3. In the 5<sup>th</sup> line, between “per 100” and “feet of backfill”, insert the word “linear”. Delete the last three sentences of this paragraph in their entirety.

3. Page 3, paragraph 2.(6).(a).4.f. Add the following to the end of this paragraph: “Determination of moisture content shall be performed in accordance with ASTM D 2216.”

4. Page 4, paragraph 6.2. In the 6<sup>th</sup> line, following “ASTM D 698”, Insert “at a moisture content within the limits of plus 5% to minus 3% of optimum moisture content, prior to placement of the next successive layer”.

#### SECTION 02225

1. Page 1, paragraph 2.1.(6). In the 4<sup>th</sup> line, replace “200 cubic yards” with “50 cubic yards” and replace “semicompacted” with “compacted”.

2. Page 1, paragraph 2.1.(6). Delete the last three sentences of this paragraph in their entirety.

3. Page 2, paragraph 2.1.(8). Delete the first sentence in its entirety and substitute: “Upon completion of suitable reaches of embankment, the Contractor shall perform, plot and submit compliance cross section surveys as directed by the Contracting Officer at all P.I.’s, curve P.C.’s, P.T.’s, levee transitions and breakpoints.”

4. Page 2, paragraph 2.1.(8). Insert “There will be no separate measurement or payment for the compliance surveys.” at the end of the paragraph.

5. Page 2, paragraph 2.1.(9). In the 2<sup>nd</sup> line, delete “at a maximum of 300-foot intervals”.

6. Page 2, paragraph 2.1.(9). Insert “The number of cross sections required shall be determined by the Contracting Officer. There will be no separate measurement or payment for the quantity surveys.” at the end of the paragraph.

7. Page 3, paragraph 5.2. In the 6<sup>th</sup> line, insert a comma after “clay” and in the 7<sup>th</sup> line, replace “1.2” with “12”.

8. Page 3, paragraph 6.1. Delete the first sentence in its entirety and substitute “Embankment and fill shall be placed in maximum 8 inch layers and compacted to 95% of maximum dry density at a moisture content within the limits of plus 5% to minus 3% of optimum moisture content in accordance with ASTM D 698 prior to placement of the next successive layer.”

9. Page 4, paragraph 6.3. Delete this paragraph and subparagraphs 6.3.1, 6.3.2 and 6.3.3 in their entirety and substitute “6.3 Reserved.”

#### SECTION 02311

1. Page 2, paragraph 7.1.1. In the 3<sup>rd</sup> line, change “pile and shall” to “pile shall”.

2. Page 2, paragraph 8.1.1. Delete the last sentence of this paragraph in its entirety.

3. Page 3, paragraph 8.2.3. In the 16<sup>th</sup> and 17<sup>th</sup> lines, delete the 11<sup>th</sup> sentence of this paragraph in its entirety.

4. Page 5, paragraph 10.1. In the 3<sup>rd</sup> line, insert "Timber piles will be measured for payment by the linear foot satisfactorily placed." As the penultimate sentence.

#### SECTION 02315

1. Page 1, paragraph 2.1. Delete this paragraph in its entirety and substitute: “2.1. Reserved.”

2. Page 6, paragraph 10. Delete this paragraph in its entirety and substitute: “10. Reserved.”

3. Page 7, paragraphs 13.4.1(2), 13.4.1(3), & 13.4.1(4). In the 2<sup>nd</sup> line of each subparagraph, change both instances of “Driving Steel” to “Drive Steel”.

#### SECTION 02365

1. Page 8, paragraph 10. In the 4<sup>th</sup> line, change “Geotechnical Engineer” to “registered Professional Engineer”.

2. Page 8, paragraph 10. In the 5<sup>th</sup>, 6<sup>th</sup>, and 7<sup>th</sup> lines, delete the third sentence of this paragraph in its entirety.

3. Page 8, paragraph 10.1. In the 8<sup>th</sup> line, delete the words: “by the Geotechnical Engineer”.

4. Page 11, paragraph 11.3.2. In the 2<sup>nd</sup> and 3<sup>rd</sup> lines, delete “, or until the maximum permissible blow count is exceeded”.

5. Page 11, paragraph 11.3.3. In the 15<sup>th</sup> thru 19<sup>th</sup> lines delete “A pile that has not reached the required penetration criteria when the top has been driven to the cutoff elevation shall be reported to the Contracting Officer. The Contracting Officer will direct the Contractor to drive the pile deeper using a follower and build up the pile to the required cut off elevation. The Contractor will be paid for the build up at equitable adjustment.”.

#### SECTION 02411

1. Page 4, paragraphs 8.1.1.1 and 8.1.1.2. In the 3<sup>rd</sup> lines, change “26 inches” to “27 inches”.
2. Page 11, paragraph 12.2.5. In the 3<sup>rd</sup> line, change “Delivery” to “Deliver”.

#### SECTION 02501

Page 1, paragraph 2.3. Delete “D 698-78” and substitute “D 698-91”.

#### SECTION 02935

Page 6, paragraph 16. Delete this paragraph in its entirety and substitute the following:

“16. MEASUREMENT AND PAYMENT. Measurement for fertilizing, seeding and slab sodding will be made by the acre. Payment for fertilizing, seeding and slab sodding and other incidental work, except for disposal of debris, will be made at the contract unit price per acre for “Fertilizing, Seeding and Slab Sodding”. Price and payment shall constitute full compensation for furnishing all plant, labor, materials and equipment and performing the work, including any necessary repairs, in accordance with these specifications.”

#### SECTION 03301

Page 26, paragraph 13.2.2. In the 7<sup>th</sup> and 9<sup>th</sup> lines of this page, change “acrylin emulsion” to “acrylic emulsion” in the second and third to last sentences, of the paragraph.

#### DRAWINGS

1. Sheet No. G-7, Profile of Box Canal. Change “ALTERNATE ‘A’ “ to “OPTION 1”.
2. Sheet No. G-7, Profile of Box Canal. Change “ALTERNATE ‘B’ “ to “OPTION 2”.
3. Sheet No. G-8, Profile. Change “REQ'D STEEL SHEET PILING - EL. 26.25 (SEE DWG. G-11 & S-11)” to “REQ'D STEEL SHEET PILING - EL 26.50 (SEE DWG. G-11 & S-11)”.
4. Sheet No. G-11, C/L Profile @ Jourdan Road. Change “REQ'D 2N STEEL SHEET PILING” to “REQ'D SPZ-22 STEEL SHEET PILING”.

5. Sheet No. G-13. Change all occurrences of "ALTERNATE 'A' " to "OPTION 1".
6. Sheet No. G-14. Change all occurrences of "ALTERNATE 'B' " to "OPTION 2".
7. Sheet No. S-1, Foundation Plan. Change the note that reads "LIMIT OF ALTERNATE BIDS" to "LIMIT OF OPTION BIDS".
8. Sheet No. S-1. Change all occurrences of "ALTERNATE 'A' " and "ALTERNATE 'B' " to "OPTION 1" and "OPTION 2" respectively.
9. Sheet No. S-3, Box Canal Foundation Plan. Change the note that reads "LIMIT OF ALTERNATE BIDS" to "LIMIT OF OPTION BIDS".
10. Sheet No. S-3. Change all occurrences of "ALTERNATE 'A' " and "ALTERNATE 'B' " to "OPTION 1" and "OPTION 2" respectively.
11. Sheet No. S-9, Section B. Change the title to "OPTION 1 - CAST-IN-PLACE CONCRETE BOX CANAL".
12. Sheet No. S-9, Section B. Change the note that reads "ALT. BID 'A' SEE NOTE NO. 2 BELOW" to "OPTION 1 SEE NOTE NO. 2 BELOW".
13. Sheet No. S-9, Note 1. Change this note to "THE BASE SLAB WILL BE PAID UNDER THE CONTRACT UNIT PRICE FOR, "CONCRETE FOR DISCHARGE CANAL FOUNDATION."
14. Sheet No. S-9, Note 2. Change this note to "PRICE OF PEDESTAL AND DOWELS SHALL BE INCLUDED IN PRICE FOR OPTION 1 – CAST-IN-PLACE BOX CANAL."
15. Sheet No. S-15, Section A. Change both occurrences of "T/SHEET PILE EL. 18.75" to "T/SHEET PILE EL. 18.15".
16. Sheet No. S-22, Bulkhead Elevation. Add the following notes to this drawing:  
  
"5. NO VERTICAL SPLICES SHALL BE ALLOWED IN THE SKIN PLATE.  
6. A MAXIMUM OF TWO HORIZONTAL SPLICES SHALL BE ALLOWED, NEITHER OF WHICH SHALL BE LOCATED IN THE LOWER 8'-0" OF THE SKIN PLATE."
17. Sheet No. S-23, Bulkhead Bottom Seal Detail. Change "L8 X 4 X 1/2" to "C8 X 6.48"
18. Sheet No. S-25. Change all occurrences of "ALTERNATE 'B' " and "ALTERNATE BID 'B' " to "OPTION 2".
19. Sheet No. S-25, Section C3. Change the note that reads "BASE SLAB TO BE PAID UNDER BASE BID ITEM NO. 0028, "CONCRETE FOR BASE SLAB" BOX CANAL 20' x 12' " to "BASE SLAB WILL BE PAID FOR UNDER THE CONTRACT UNIT PRICE FOR, "CONCRETE FOR DISCHARGE CANAL FOUNDATION".

20. Sheet No. S-25, Section C3. Change the note that reads "UNTREATED TIMBER PILES TO BE PAID UNDER BASE BID ITEM NO. 0032, "FURNISH AND DELIVER TIMBER PILES" AND ITEM NO. 0036, "DRIVE TIMBER PILES"." to "UNTREATED TIMBER PILES WILL BE PAID FOR UNDER THE APPLICABLE CONTRACT UNIT PRICE FOR, "FURNISH AND DELIVER TIMBER PILES" OR, "DRIVE TIMBER PILES"."

SECTION 00010 - BIDDING SCHEDULE

Southeast Louisiana  
 Dwyer Road Drainage Pumping Station Improvements  
 Discharge Tubes and Canal  
 Orleans Parish, Louisiana

Item	Description	Estimated Quantity	Unit	Unit Price	Estimated Amount
0019	Clearing and Grubbing	Lump Sum	LS		
0020	Degrading Jourdan Road	2,500	CY		
0021	Embankment Fill	500	CY		
0022	Geotextile Fabric	8500	SY		
0023*	Furnish and Deliver Timber Piles	31,640	LF		
0024*	Drive Timber Piles	31,080	LF		
0025	Timber Probe Piles	6	EA		
0026*	Furnish and Deliver Steel H-Piles	2572	LF		
0027*	Drive Steel H-Piles	2572	LF		
0028	Furnish and Deliver Steel Pipe Piles	1215	LF		
0029	Drive Steel Pipe Piles	1215	LF		
0030	Furnish and Deliver Precast Prestressed Concrete Piles	1275	LF		
0031	Drive Precast Prestressed Concrete Piles	1275	LF		
0032	Furnish and Deliver Steel Sheet Piling	6,506	SF		
0033	Drive Steel Sheet Piling	6,506	SF		
0034	Furnish, Deliver and Stockpile Emergency Steel Sheet Piling	9400	SF		
0035	Pipe Penetrations	Lump Sum	LS		

\* Denotes change from previous Bidding Schedule  
 00010-4

SECTION 00010 - BIDDING SCHEDULE

Southeast Louisiana  
 Dwyer Road Drainage Pumping Station Improvements  
 Discharge Tubes and Canal  
 Orleans Parish, Louisiana

Item	Description	Estimated Quantity	Unit	Unit Price	Estimated Amount
0036	Base Course	2600	SY		
0037	Asphaltic Concrete Binder Course (4 Inch Thick)	550	Tons		
0038	Asphaltic Concrete Wearing Course (2 Inch Thick)	275	Tons		
0039	Concrete Curb and Gutter	40	LF		
0040	10 Inch Concrete Curb	600	LF		
0041	Riprap	365	Tons		
0042	Removed and Reused Riprap	75	Tons		
0043	Chain Link Fencing and Gates	Lump Sum	LS		
0044*	Fertilizing, Seeding and Slab Sodding	2.5	AC		
0045	Concrete for T- Wall Structure	Lump Sum	LS		
0046	Concrete for I - Wall Structure	Lump Sum	LS		
0047	Concrete for Discharge Structure	Lump Sum	LS		
0048	Concrete for Discharge Canal Foundation	Lump Sum	LS		
0049	Concrete for Sluice Gate Structure	Lump Sum	LS		
0050	Concrete for Dolphin Structures	Lump Sum	LS		

\* Denotes change from previous Bidding Schedule  
 00010-5

General Decision Number LA000012

General Decision Number LA000012 Superseded General Decision No. LA990012

State: Louisiana

Construction Type:

HEAVY

TREATMENT PLANT

County(ies):

JEFFERSON ST BERNARD ST JOHN THE BAP

ORLEANS ST CHARLES ST TAMMANY

PLAQUEMINES ST JAMES

HEAVY CONSTRUCTION PROJECTS (Includes the heavy part of Treatment Plants, BUT Does not include Flood Control, Industria & Processing Plants, Refineries, Water & Sewer Lines, Dredging, Dams or Elevated Storage Tanks)

Modification Number Publication Date

0	02/11/2000
1	03/10/2000
2	04/07/2000
3	06/02/2000
4	07/14/2000

COUNTY(ies):

JEFFERSON ST BERNARD ST JOHN THE BAP

ORLEANS ST CHARLES ST TAMMANY

PLAQUEMINES ST JAMES

CARP1846J 07/01/1998

Rates Fringes

PILEDRIVERMEN:

Jefferson, Orleans & St. Bernard

Parishes 14.31 3.05

Plaquemines Parish 11.88 3.05

St. Charles & St. John the Baptist

Parishes 12.73 3.05

St. James (South of the Mississippi

River) & St. Tammany Parishes 10.26 3.05

ELEC0130F 01/01/2000

Rates Fringes

JEFFERSON, ORLEANS, PLAQUEMINES, ST. BERNARD, ST. CHARLES,  
 ST. JAMES & ST. JOHN THE BAPTIST PARISHES:

ELECTRICIANS 19.39 3.61

ELEC1077B 06/01/2000

Rates Fringes

ST. TAMMANY PARISH:

ELECTRICIANS 16.90 2.76

ENGI0406R 07/01/1998

Rates Fringes

POWER EQUIPMENT OPERATORS:

Bulldozer; \*Crane; & Mechanic:

Jefferson, Orleans & St. Bernard

Parishes 14.66 3.30

Plaquemines Parish 12.01 3.30

St. Charles & St. John the Baptist

Parishes 12.98 3.30

St. James & St. Tammany Parishes 10.24 3.30

\*CRANE PREMIUM:

50 Tons to 150 Tons - \$1.00 per hour  
 Over 150 Tons - \$1.50 per hour

\* IRON0058G 06/01/2000

	Rates	Fringes
JEFFERSON, ORLEANS, PLAQUEMINES, ST. BERNARD, ST. CHARLES, ST. JAMES (Excluding area West of a straight line drawn from the Louisiana-Mississippi border, west of the city limits of Warrenton, southwest through Hammond to the Gulf of Mexico), ST. JOHN THE BAPTIST & ST. TAMMANY PARISHES:		
IRONWORKERS, Reinforcing	16.85	4.55

\* IRON0623D 06/01/2000

	Rates	Fringes
ST. JAMES PARISH (West of a straight line drawn from the Louisiana-Mississippi border, west of the city limits of Warrenton, southwest through Hammond to the Gulf of Mexico):		
IRONWORKERS, Reinforcing	16.85	4.30

LABO0689C 07/01/1998

	Rates	Fringes
LABORERS, Common:		
Jefferson, Orleans & St. Bernard Parishes		
	9.70	1.42
Plaquemines Parish		
	8.13	1.42
St. Charles & St. John the Baptist Parishes		
	8.13	1.42
St. James & St. Tammany Parishes		
	6.91	1.42

PLUM0060B 12/01/1999

	Rates	Fringes
JEFFERSON, ORLEANS, PLAQUEMINES, ST. BERNARD, ST. CHARLES, ST. JAMES (E. Pt.), ST. JOHN THE BAPTIST & ST. TAMMANY PARISHES:		
PIPEFITTERS	18.15	4.06

PLUM0198E 01/01/2000

	Rates	Fringes
ST. JAMES PARISH:		
PIPEFITTERS	17.56	3.81

SULA2026C 11/08/1999

	Rates	Fringes
CARPENTERS:		
Form Building/Form Setting		
	11.87	
All Other Work		
	11.05	
CONCRETE FINISHERS		
	10.80	
IRONWORKERS, Structural		
	11.95	
LABORERS:		
Mason Tender		
	9.06	
Pipelayer		
	10.04	
PAINTERS		
	13.16	2.12
POWER EQUIPMENT OPERATORS:		
Backhoe		
	13.00	2.38
Bobcat		
	11.35	
Cherry Picker		
	11.35	

WELDERS 11.50

-----  
TEAM0270B 07/01/1998

	Rates	Fringes
TRUCK DRIVERS, Dump & Lowboy:		
Jefferson, Orleans & St. Bernard Parishes	11.47	
Plaquemines Parish	11.15	
St. Charles & St. John The Baptist Parishes	11.43	
St. Tammany Parish	9.53	

-----  
Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29 CFR 5.5(a)(1)(v)).

-----  
In the listing above, the "SU" designation means that rates listed under that identifier do not reflect collectively bargained wage and fringe benefit rates. Other designations indicate unions whose rates have been determined to be prevailing.

WAGE DETERMINATION APPEALS PROCESS

1.) Has there been an initial decision in the matter? This can be:

- \* an existing published wage determination
- \* a survey underlying a wage determination
- \* a Wage and Hour Division letter setting forth a position on a wage determination matter
- \* a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations  
Wage and Hour Division  
U. S. Department of Labor  
200 Constitution Avenue, N. W.  
Washington, D. C. 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator  
U.S. Department of Labor  
200 Constitution Avenue, N. W.  
Washington, D. C. 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board  
U. S. Department of Labor  
200 Constitution Avenue, N. W.  
Washington, D. C. 20210

4.) All decisions by the Administrative Review Board are final.

END OF GENERAL DECISION