

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE	PAGE OF PAGES	
			J	1	5
2. AMENDMENT/MODIFICATION NO. 0001	3. EFFECTIVE DATE 03-Jun-2003	4. REQUISITION/PURCHASE REQ. NO.		5. PROJECT NO.(If applicable) ED-00-008	
6. ISSUED BY USACE, CONTRACTING DIVISION P.O. BOX 60267 NEW ORLEANS LA 70160-0267	CODE DACW29	7. ADMINISTERED BY (If other than item 6)		CODE	
		<b>See Item 6</b>			
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)			X	9A. AMENDMENT OF SOLICITATION NO. DACW29-03-B-0034	
			X	9B. DATED (SEE ITEM 11) 10-Feb-2003	
				10A. MOD. OF CONTRACT/ORDER NO.	
				10B. DATED (SEE ITEM 13)	
CODE			FACILITY CODE		
<b>11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS</b>					
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input checked="" type="checkbox"/> is extended, <input type="checkbox"/> is not extended.					
Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning <u>  1  </u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.					
12. ACCOUNTING AND APPROPRIATION DATA (If required)					
<b>13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.</b>					
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.					
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).					
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:					
D. OTHER (Specify type of modification and authority)					
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.					
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) 1. Please review pages 2 to 5 attach and make pen & ink changes to the designated sections of the solicitation. 2. Bid opening has been extended for June 17th 2003 at 14:00 hrs CT, New Orleans District, Room 186. 3. Contractor is required to sign and submit signed amendment IAW paragraph (a) above with their bids. 4. No other changes to follow, all other terms and conditions remains the same.					
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.					
15A. NAME AND TITLE OF SIGNER (Type or print)			16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)		
			TEL: _____ EMAIL: _____		
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA		16C. DATE SIGNED	
_____		BY _____		02-Jun-2003	
(Signature of person authorized to sign)		(Signature of Contracting Officer)			

### SECTION 00010

Page 3: Delete page 00010-3 in its entirety and substitute the attached revised page 00010-3 therefor.

### SECTION 00700

Page 58, 52.232-5001 CONTINUING CONTRACTS (MAR 1995)--EFARS, subparagraph (b). Change \$875,000" to \$10,000.00".

### SECTION 01356

Page 01356-11, subparagraph (i). Delete "(TO BE FILLED IN BY PM-R)" and replace with the following: "On April 25, 2003, the National Marine Fisheries Service determined that no listed species or their critical habitat protected by the Endangered Species Act under their purview occur within the proposed project area, and therefore, the proposed action will have no effect on these species. On May 13, 2003, the U.S. Fish and Wildlife Service concurred with Corps findings that the proposed action would not adversely affect any threatened or endangered species. Also, the National Marine Fisheries Service (NOAA Fisheries) has concurred with Corps findings that the proposed project is not located in an area supported of marine fishery species, would not impact resources under their jurisdiction, and does not object to the proposed project activities."

### SECTION 02332

Page 11, paragraph 3.4.2.1: Insert "Unless otherwise shown on the drawings," the following to the beginning of the 3<sup>rd</sup> sentence.

### SECTION 02411

1. Page 7, paragraph 2.1.2: Delete this paragraph in its' entirety and replace with "2.1.2 Reserved".
2. Page 7, paragraph 2.1.3: In the 3<sup>rd</sup> line, change "6 inches" to "9 inches".
3. Page 7. Insert the following new paragraphs after paragraph 2.2:

#### "2.3 Rolled Corners

Rolled corners, formed with new sheet piling, shall be of the types and dimensions as required such that when in place they will be continuously interlocked. The sheet pile types shall be as required for the corners being manufactured and shall conform to the requirements of ASTM A 328 and all other requirements stated above for new piling.

## 2.4 Fabricated Section

Fabricated sections, including special corners, shall conform to the requirements stated herein, the details shown on the drawings and the piling manufacturer's recommendations for fabricated sections and corners. Metalwork fabrication for sheet piling sections and corners shall conform to the requirements of Section 05501. Steel plates and angles used to fabricate the special sections shall conform to ASTM A 36. Welding of the longitudinal joint will not be allowed. Shop drawings and details for the fabricated connection shall be submitted for approval."

### SECTION 05501

1. Page 1, paragraph 1.3: Insert new reference "ASTM A 36, (1994) Carbon Structural Steel".
2. Page 5, paragraph 2.1.2.1: Insert "High strength bolts and suitable nuts shall conform to ASTM A 325, Type 3." to the end of this paragraph.
3. Page 5. Add the following new paragraph after paragraph 2.1.2.4:

#### "2.1.2.5 Half-Inch Plate

Half-inch plate for fabricated corners shall conform to ASTM A 36."

### SECTION 009940

1. Page 1, paragraph 1.2: Change the 2<sup>nd</sup> sentence to "Payment for all painting work performed and for all materials furnished under this section of the specifications for painting sheet piling will be included in the applicable contract unit price per square foot for "Piling, Coated Steel Sheet, PZ-22" and "Contractor Furnished Piling, Coated Steel Sheet, PZ-22". "
2. Page 23, paragraph 3.4: In the 1<sup>st</sup> sentence, change "Both side of the permanent steel sheet piling and appurtenances from the top elevation of the steel sheet piling shown on the drawings to elevation +21.0 ft NGVD" to "The top 9 feet of both sides of all furnished steel sheet piling and appurtenances."

### DRAWINGS

1. Dwg. 1 of 31, INDEX TO DRAWINGS. Change Dwg. "L08" to "L10", change Dwg. "L09" to "L08", and change Dwg. "L10" to "L09".
2. Dwg. 2 of 31, PLAN VIEW. Add a note pointing to B/L Sta. 3720+00. The note shall be "B/L STA 3720+00 +/- EXISTING RAMP TO BE RECONSTRUCTED (SEE RAMP DETAILS DWG. L09)".

3. Dwg. 3 of 31, Below the Profile View, change the vertical text denoting "3802+00" to "3803+28".
4. Dwg. 5 of 31. Below the TYPICAL SECTION 1, change "3690+00 to "3686+00". In the note pointing to the GUARDRAIL W/ CONCRETE SLAB in TYPICAL SECTION 3, change "(SEE DETAILS, DWG. XX)" to "(SEE DETAILS, DWG. 8)". Below the DEGRADING DETAIL, change "3803+38" to "3804+08".
5. Dwg. 6 of 31. In the note pointing to the GUARDRAIL W/ CONCRETE SLAB in TYPICAL SECTION 3, change "(SEE DETAILS, DWG. XX)" to "(SEE DETAILS, DWG. 8)".
6. Dwg. 7 of 31, PLAN VIEW. Add a note pointing to RAMP 3 at B/L Station 3836+16. The note should be: "COMPACTED FILL RAMP TO BE CONSTRUCTED PRIOR TO PLACEMENT OF UNCOMPCATED FILL BERMS". Change all notes pointing to "NEW GUARD RAIL (SEE DETAILS, DWG. 9)" to "NEW GUARD RAIL (SEE DETAILS, DWG. 9)". In the Profile View add the following B/L Stations to the gaps in the new sheet pile floodwall: 3819+62, 3819+94, 3822+46, 3822+78.
7. Dwg. L8. In the TYPICAL L-BENT CORNER Details 1 and 2, and a note with an arrow pointing to the center plate stating "1/2" PLATE (ASTM A 36)". In the same Details, add "W/FLAT WASHERS" after references to "7/8"  $\varnothing$  BOLTS (TYP)". In SHEET PILE NOTES, add the following to the end of Note 3: " HIGH STRENGTH BOLTS SHALL BE HEAVY HEX BOLTS, ASTM A 325, TYPE 3 W/ HEAVY HEX NUTS, ASTM A 563, GRADE C3, PLAIN, WEATHERING STEEL AND HARDENED STEEL WASHERS, ASTM F 436, PLAIN TYPE 3, WEATHERING STEEL."
8. Renumber the Drawings as follows: Dwg. L8, entitled "SHEET PILING DETAILS" to Dwg. L10 of 31, and Dwg. L10, entitled "MISCELLANEOUS DETAILS AND BENCHMARK" to L9 of L31.

SECTION 00010 - BIDDING SCHEDULE  
 ATCHAFALAYA BASIN FLOODWAY, LA  
 EAST ATCHAFALAYA BASIN PROTECTION LEVEE,  
 ITEMS E-69 AND E-73 LEVEE ENLARGEMENT AND FLOODWALLS  
 ST. MARTIN, IBERIA AND IBERVILLE PARISHES, LOUISIANA

Item	DESCRIPTION	Estimated Quantity	Unit	Unit Price	Estimated Amount
0001	Mobilization and Demobilization	1	LS		
0002	Truck Wash-Down Rack(s)	1	LS		
0003	Clearing and Grubbing	1	LS		
0004	Borrow Pit Development	1	LS		
0005*	Embankment, Compacted Fill	92,000	CY		
0006	Embankment, Uncompacted Fill	59,400	CY		
0007	Piling, Coated Steel Sheet, PZ-22	98,110	SF		
0008	Contractor Furnished Piling, Coated Steel Sheet, PZ-22	1,920	SF		
0009	Surfacing, Levee Crown Road and Ramps				
0009AA	First 9,500 cubic yards	9,500	CY		
0009AB	All over 9,500 cubic yards	2,400	CY		
00010	Surfacing, Parking Areas	1,300	CY		
0011	Fertilizing, Seeding and Mulching	46.0	AC		
0012	Silt Fence				
0012AA	First 13,330 Linear Feet	13,330	LF		
0012AB	All Over 13,330 Feet	4,000	LF		
0013	Guard Rail	1,250	LF		
0014	Cathodic Protection	1	LS		
				TOTAL:	\$

Award will be made as a whole to one bidder.

Amendment No. 0001

\*Denotes Change From Previous Bid Schedule

00010-3

ED 00-008