

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE J	PAGE OF PAGES 1 9
2. AMENDMENT/MODIFICATION NO. 0001	3. EFFECTIVE DATE 13-Apr-2004	4. REQUISITION/PURCHASE REQ. NO.		5. PROJECT NO.(If applicable) OM-04-065
6. ISSUED BY USACE, CONTRACTING DIVISION ATTN: CEMVN-CT, ROOM 172 7400 LEAKE AVE. NEW ORLEANS LA 70118-3651	CODE W912P8	7. ADMINISTERED BY (If other than item 6) See Item 6		
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)		X	9A. AMENDMENT OF SOLICITATION NO. W912P8-04-B-0016	
		X	9B. DATED (SEE ITEM 11) 08-Dec-2003	
			10A. MOD. OF CONTRACT/ORDER NO.	
			10B. DATED (SEE ITEM 13)	
CODE	FACILITY CODE			
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS				
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input type="checkbox"/> is extended, <input checked="" type="checkbox"/> is not extended. Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning <u>1</u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.				
12. ACCOUNTING AND APPROPRIATION DATA (If required)				
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.				
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.				
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).				
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:				
D. OTHER (Specify type of modification and authority)				
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.				
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) The above numbered solicitation for the Atchafalaya Basin Berwick Bay Harbor Cutterhead Dredge Rental No. 1-2004, St. Mary Parish, LA, is amended as shown on the attached pages. BID OPENING DATE: A BID OPENING OF 16 APRIL 2004 11:00 A.M. LOCAL TIME IS HEREBY ESTABLISHED.				
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.				
15A. NAME AND TITLE OF SIGNER (Type or print)		16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)		
		TEL: _____ EMAIL: _____		
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA		16C. DATE SIGNED
_____ (Signature of person authorized to sign)		BY _____ (Signature of Contracting Officer)		13-Apr-2004

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

SECTION 00010 - BIDDING SCHEDULE

- i) Delete pages 00010-3 through 00010-8 in their entirety and replace with the enclosed pages 00010-3 through 00010-8
- ii) Delete the Contract Duration table located on page 00010-10 in its entirety and replace with the enclosed Contract Duration Table.

SECTION 0237

- i) Delete existing paragraphs 1.5.5(c) and 1.5.5(d) in their entirety and replace with the enclosed paragraph 1.5.5(c) and 1.5.5(d).
- ii) Delete existing paragraph 3.1.2.1 in its entirety and replace with the enclosed paragraph 3.1.2.1.

**SECTION 00010 – BIDDING SCHEDULE
 ATCHAFALAYA BASIN BERWICK BAY HARBOR
 CUTTERHEAD DREDGE RENTAL NO. 1-2004
 ST. MARY PARISH, LOUISIANA
 Solicitation No. W912P8-04-B-0016**

LOT ONE BID, 20 inch ID pump discharge

Bid Item	Description	Estimated Quantity	Unit	Unit Price	Total Price
0001	MOBILIZATION AND DEMOBILIZATION	1	LS	\$____. __	\$____. __
0002	ADDITIONAL MOBILIZATION DUE TO IDLE STANDBY PERIOD	1	EA	\$____. __	\$____. __
0003	DREDGING: Rental of one fully operated cutterhead dredge with 20-inch ID pump discharge and attendant plant including up to 7500 feet of floating line and 3000 feet of submerged line.	866	Hour	\$____. __	\$____. __
OPTION 0004	DREDGING : same plant listed in Item No.0003 of this bid lot.	217	Hour	xxxxxxxxx	\$____. __
0005	DREDGE TOWING SERVICE: as specified herein.	40	Hour	\$____. __	\$____. __
OPTION 0006	DREDGE TOWING SERVICE: as specified herein.	10	Hour	xxxxxxxxx	\$____. __
0007	PICKET BOAT: as specified herein.	240	Hour	\$____. __	\$____. __
				TOTAL: LOT ONE BID	\$____. __

Notes:

- Bidders must bid on all items including optional items. Failure to bid on all items will result in a non-responsive bid.
- Bidders shall use the Item No. 0003 unit price to compute Item No. 0003 and item No. 0004 total price. The item No. 0005 unit price shall be used to compute the Item No. 0005 and Item No. 0006 total price.
- Any bid may be rejected if the Contracting Officer determines in writing that it is unreasonable as to price. Unreasonableness of price includes not only the total price of the bid, but prices for individual line items as well. Any bid may be rejected if the prices for any line items or subline items are materially unbalanced. (see FAR 15.404-1(g)(3)).
- The Notice to Proceed (NTP): The successful bidder is advised that performance and payment bonds shall be submitted in accordance with the time frame in block 12B of SF 1442 after Notice of Award. The NTP will be issued after verification of acceptable performance and payment bonds. Within seven (7) days after issuance of NTP, the Contractor shall initiate a meeting to discuss the submittal process with the Area or Resident Engineer or his authorized representative. Physical work cannot start until the Accident Prevention Program, Contractor Quality Control Plan, and other submittals which may be required, have been submitted and approved and all preliminary meetings called for under the contract, have been conducted.

**SECTION 00010 – BIDDING SCHEDULE
 ATCHAFALAYA BASIN BERWICK BAY HARBOR
 CUTTERHEAD DREDGE RENTAL NO. 1-2004
 ST. MARY PARISH, LOUISIANA
 Solicitation No. W912P8-04-B-0016**

LOT TWO BID, 24 inch ID pump discharge

Bid Item	Description	Estimated Quantity	Unit	Unit Price	Total Price
0001	MOBILIZATION AND DEMOBILIZATION	1	LS	\$_____. ____	\$_____. ____
0002	ADDITIONAL MOBILIZATION DUE TO IDLE STANDBY PERIOD	1	EA	\$_____. ____	\$_____. ____
0003	DREDGING: Rental of one fully operated cutterhead dredge with 24-inch ID pump discharge and attendant plant including up to 7500 feet of floating line and 3000 feet of submerged line.	601	Hour	\$_____. ____	\$_____. ____
OPTION 0004	DREDGING: same plant listed in Item No. 0003 of this bid lot.	150	Hour	Xxxxxxxxxx	\$_____. ____
0005	DREDGE TOWING SERVICE: as specified herein.	40	Hour	\$_____. ____	\$_____. ____
OPTION 0006	DREDGE TOWING SERVICE: as specified herein.	10	Hour	Xxxxxxxxxx	\$_____. ____
0007	PICKET BOAT: as specified herein.	240	Hour	\$_____. ____	\$_____. ____

TOTAL: LOT TWO BID \$_____. ____

Notes:

- Bidders must bid on all items including optional items. Failure to bid on all items will result in a non-responsive bid.
- Bidders shall use the Item No. 0003 unit price to compute Item No. 0003 and item No. 0004 total price. The item No. 0005 unit price shall be used to compute the Item No. 0005 and Item No. 0006 total price.
- Any bid may be rejected if the Contracting Officer determines in writing that it is unreasonable as to price. Unreasonableness of price includes not only the total price of the bid, but prices for individual line items as well. Any bid may be rejected if the prices for any line items or subline items are materially unbalanced. (see FAR 15.404-1(g)(3)).
- The Notice to Proceed (NTP): The successful bidder is advised that performance and payment bonds shall be submitted in accordance with the time frame in block 12B of SF 1442 after Notice of Award. The NTP will be issued after verification of acceptable performance and payment bonds. Within seven (7) days after issuance of NTP, the Contractor shall initiate a meeting to discuss the submittal process with the Area or Resident Engineer or his authorized representative. Physical work cannot start until the Accident Prevention Program, Contractor Quality Control Plan, and other submittals which may be required, have been submitted and approved and all preliminary meetings called for under the contract, have been conducted.

**ATCHAFALAYA BASIN BERWICK BAY HARBOR
CUTTERHEAD DREDGE RENTAL NO. 1-2004
ST. MARY PARISH, LOUISIANA
Solicitation No. W912P8-04-B-0016**

LOT THREE BID, 24 inch ID pump discharge and submerged pump

Bid Item	Description	Estimated Quantity	Unit	Unit Price	Total Price
0001	MOBILIZATION AND DEMOBILIZATION	1	LS	\$_____. ____	\$_____. ____
0002	ADDITIONAL MOBILIZATION DUE TO IDLE STANDBY PERIOD	1	EA	\$_____. ____	\$_____. ____
0003	DREDGING: Rental of one fully operated cutterhead dredge with 24-inch ID pump discharge and submerged pump and attendant plant including up to 7500 feet of floating line and 3000 feet of submerged line.	481	Hour	\$_____. ____	\$_____. ____
OPTION 0004	DREDGING: same plant listed in Item No. 0003 of this bid lot.	120	Hour	xxxxxxxxxx	\$_____. ____
0005	DREDGE TOWING SERVICE: as specified herein.	40	Hour	\$_____. ____	\$_____. ____
OPTION 0006	DREDGE TOWING SERVICE: as specified herein.	10	Hour	xxxxxxxxxx	\$_____. ____
0007	PICKET BOAT: as specified herein.	240	Hour	\$_____. ____	\$_____. ____

TOTAL: LOT THREE BID \$_____. ____

Notes:

- Bidders must bid on all items including optional items. Failure to bid on all items will result in a non-responsive bid.
- Bidders shall use the Item No. 0003 unit price to compute Item No. 0003 and item No. 0004 total price. The item No. 0005 unit price shall be used to compute the Item No. 0005 and Item No. 0006 total price.
- Any bid may be rejected if the Contracting Officer determines in writing that it is unreasonable as to price. Unreasonableness of price includes not only the total price of the bid, but prices for individual line items as well. Any bid may be rejected if the prices for any line items or subline items are materially unbalanced. (see FAR 15.404-1(g)(3)).
- The Notice to Proceed (NTP): The successful bidder is advised that performance and payment bonds shall be submitted in accordance with the time frame in block 12B of SF 1442 after Notice of Award. The NTP will be issued after verification of acceptable performance and payment bonds. Within seven (7) days after issuance of NTP, the Contractor shall initiate a meeting to discuss the submittal process with the Area or Resident Engineer or his authorized representative. Physical work cannot start until the Accident Prevention Program, Contractor Quality Control Plan, and other submittals which may be required, have been submitted and approved and all preliminary meetings called for under the contract, have been conducted.

**SECTION 00010 – BIDDING SCHEDULE
 ATCHAFALAYA BASIN BERWICK BAY HARBOR
 CUTTERHEAD DREDGE RENTAL NO. 1-2004
 ST. MARY PARISH, LOUISIANA
 Solicitation No. W912P8-04-B-0016**

LOT FOUR BID, 27 inch ID pump discharge

Bid Item	Description	Estimated Quantity	Unit	Unit Price	Total Price
0001	MOBILIZATION AND DEMOBILIZATION	1	LS	\$_____. ____	\$_____. ____
0002	ADDITIONAL MOBILIZATION DUE TO IDLE STANDBY PERIOD	1	EA	\$_____. ____	\$_____. ____
0003	DREDGING: Rental of one fully operated cutterhead dredge with 27-inch ID pump discharge and attendant plant including up to 7500 feet of floating line and 3000 feet of submerged line.	475	Hour	\$_____. ____	\$_____. ____
OPTION 0004	DREDGING: same plant listed in Item No. 0003 of this bid lot.	119	Hour	xxxxxxxxxx	\$_____. ____
0005	DREDGE TOWING SERVICE: as specified herein.	40	Hour	\$_____. ____	\$_____. ____
OPTION 0006	DREDGE TOWING SERVICE: as specified herein.	10	Hour	xxxxxxxxxx	\$_____. ____
0007	PICKET BOAT: as specified herein.	240	Hour	\$_____. ____	\$_____. ____

TOTAL: LOT FOUR BID \$_____. ____

Notes:

- Bidders must bid on all items including optional items. Failure to bid on all items will result in a non-responsive bid.
- Bidders shall use the Item No. 0003 unit price to compute Item No. 0003 and item No. 0004 total price. The item No. 0005 unit price shall be used to compute the Item No. 0005 and Item No. 0006 total price.
- Any bid may be rejected if the Contracting Officer determines in writing that it is unreasonable as to price. Unreasonableness of price includes not only the total price of the bid, but prices for individual line items as well. Any bid may be rejected if the prices for any line items or subline items are materially unbalanced. (see FAR 15.404-1(g)(3)).
- The Notice to Proceed (NTP): The successful bidder is advised that performance and payment bonds shall be submitted in accordance with the time frame in block 12B of SF 1442 after Notice of Award. The NTP will be issued after verification of acceptable performance and payment bonds. Within seven (7) days after issuance of NTP, the Contractor shall initiate a meeting to discuss the submittal process with the Area or Resident Engineer or his authorized representative. Physical work cannot start until the Accident Prevention Program, Contractor Quality Control Plan, and other submittals which may be required, have been submitted and approved and all preliminary meetings called for under the contract, have been conducted.

**SECTION 00010 – BIDDING SCHEDULE
 ATCHAFALAYA BASIN BERWICK BAY HARBOR
 CUTTERHEAD DREDGE RENTAL NO. 1-2004
 ST. MARY PARISH, LOUISIANA
 Solicitation No. W912P8-04-B-0016**

LOT FIVE BID, 30 inch ID pump discharge, without submerged pump

Bid Item	Description	Estimated Quantity	Unit	Unit Price	Total Price
0001	MOBILIZATION AND DEMOBILIZATION	1	LS	\$_____. ____	\$_____. ____
0002	ADDITIONAL MOBILIZATION DUE TO IDLE STANDBY PERIOD	1	EA	\$_____. ____	\$_____. ____
0003	DREDGING: Rental of one fully operated cutterhead dredge with 30-inch ID pump discharge and attendant plant including up to 7500 feet of floating line and 3000 feet of submerged line.	385	Hour	\$_____. ____	\$_____. ____
OPTION 0004	DREDGING: same plant listed in Item No. 0003 of this bid lot.	96	Hour	xxxxxxxxxx	\$_____. ____
0005	DREDGE TOWING SERVICE: as specified herein.	40	Hour	\$_____. ____	\$_____. ____
OPTION 0006	DREDGE TOWING SERVICE: as specified herein.	10	Hour	xxxxxxxxxx	\$_____. ____
0007	PICKET BOAT: as specified herein.	240	Hour	\$_____. ____	\$_____. ____
				TOTAL: LOT FIVE BID \$	_____.

Notes:

- Bidders must bid on all items including optional items. Failure to bid on all items will result in a non-responsive bid.
- Bidders shall use the Item No. 0003 unit price to compute Item No. 0003 and item No. 0004 total price. The item No. 0005 unit price shall be used to compute the Item No. 0005 and Item No. 0006 total price.
- Any bid may be rejected if the Contracting Officer determines in writing that it is unreasonable as to price. Unreasonableness of price includes not only the total price of the bid, but prices for individual line items as well. Any bid may be rejected if the prices for any line items or subline items are materially unbalanced. (see FAR 15.404-1(g)(3)).
- The Notice to Proceed (NTP): The successful bidder is advised that performance and payment bonds shall be submitted in accordance with the time frame in block 12B of SF 1442 after Notice of Award. The NTP will be issued after verification of acceptable performance and payment bonds. Within seven (7) days after issuance of NTP, the Contractor shall initiate a meeting to discuss the submittal process with the Area or Resident Engineer or his authorized representative. Physical work cannot start until the Accident Prevention Program, Contractor Quality Control Plan, and other submittals which may be required, have been submitted and approved and all preliminary meetings called for under the contract, have been conducted.

**SECTION 00010 – BIDDING SCHEDULE
 ATCHAFALAYA BASIN BERWICK BAY HARBOR
 CUTTERHEAD DREDGE RENTAL NO. 1-2004
 ST. MARY PARISH, LOUISIANA
 Solicitation No. W912P8-04-B-0016**

LOT SIX BID, 30 inch ID pump discharge, with submerged pump

Bid Item	Description	Estimated Quantity	Unit	Unit Price	Total Price
0001	MOBILIZATION AND DEMOBILIZATION	1	LS	\$_____. __	\$_____. __
0002	ADDITIONAL MOBILIZATION DUE TO IDLE STANDBY PERIOD	1	EA	\$_____. __	\$_____. __
0003	DREDGING: Rental of one fully operated cutterhead dredge with 30-inch ID pump discharge with submerged pump and attendant plant including up to 7500 feet of floating line and 3000 feet of submerged line.	290	Hour	\$_____. __	\$_____. __
OPTION 0004	DREDGING: same plant listed in Item No. 0003 of this bid lot.	73	Hour	xxxxxxxxx	\$_____. __
0005	DREDGE TOWING SERVICE: as specified herein.	40	Hour	\$_____. __	\$_____. __
OPTION 0006	DREDGE TOWING SERVICE: as specified herein.	10	Hour	xxxxxxxxx	\$_____. __
0007	PICKET BOAT: as specified herein.	240	Hour	\$_____. __	\$_____. __
TOTAL: LOT SIX BID					\$_____. __

Notes:

- Bidders must bid on all items including optional items. Failure to bid on all items will result in a non-responsive bid.
- Bidders shall use the Item No. 0003 unit price to compute Item No. 0003 and item No. 0004 total price. The item No. 0005 unit price shall be used to compute the Item No. 0005 and Item No. 0006 total price.
- Any bid may be rejected if the Contracting Officer determines in writing that it is unreasonable as to price. Unreasonableness of price includes not only the total price of the bid, but prices for individual line items as well. Any bid may be rejected if the prices for any line items or subline items are materially unbalanced. (see FAR 15.404-1(g)(3)).
- The Notice to Proceed (NTP): The successful bidder is advised that performance and payment bonds shall be submitted in accordance with the time frame in block 12B of SF 1442 after Notice of Award. The NTP will be issued after verification of acceptable performance and payment bonds. Within seven (7) days after issuance of NTP, the Contractor shall initiate a meeting to discuss the submittal process with the Area or Resident Engineer or his authorized representative. Physical work cannot start until the Accident Prevention Program, Contractor Quality Control Plan, and other submittals which may be required, have been submitted and approved and all preliminary meetings called for under the contract, have been conducted.

APPROXIMATE CUTTERHEAD DREDGE CONTRACT DURATION (BASE PLUS OPTION)			
BID LOT	DISCHARGE LINE ID (INCHES)	SUBMERGED PUMP	APPROXIMATE NUMBER OF RENTAL DAYS
1	20	No	59
2	24	No	41
3	24	Yes	33
4	27	No	32
5	30	No	26
6	30	Yes	20

1.5.5 (c) The Contractor shall have a minimum of 3000 feet of submerged pipeline. This submerged pipeline shall be placed in such a way that it does not create a hazard to navigation. When the submerged line is placed in shallow water, where the possibility exists for small out board skiffs to cross over the pipeline, the pipeline shall be marked every 150' throughout the length of the submerged pipeline with fluorescent orange buoys and signs stating "DANGER SUBMERGED PIPELINE".

1.5.5 (d) The Contractor shall provide up to 7500 feet of serviceable floating pipeline. While in use, the pipeline shall be secured at intervals not to exceed 400-ft. The pipeline shall include two elbow pontoons (one each right and left). The Contractor shall furnish a baffle floating pipeline section when determined to be necessary by the Government. The Contractor shall provide adequate numbers of anchors or skidder barges on the floating pipeline to eliminate the possibility of pipeline separation due to river currents.

3.1.2.1 Berwick Bay Harbor

An assignment for this region shall consist of providing a channel 12 to 16 feet deep, referenced to 0.0 feet MLG. The limits of work will generally fall between the following established Baseline Stations with the Berwick Bay Railroad Bridge as the reference point. North of the railroad bridge the limits of work are approximately Station 100+00 to Station 162+00 and south of the railroad bridge the limits of work are approximately Station 0+00 to station 30+00. Dredging shall be performed riverward of a line 25 feet away from the faces of the Berwick Bay Harbor wharves. See the table entitled "Berwick Bay Harbor Alignment" located at the end of the Survey Section for additional Baseline information. Dredged material shall be discharged beyond the -32 foot MLG contour in the river, through up to 7500 feet of floating pipeline and 3000 feet of submerged pipeline. Dredged material from Berwick Bay Harbor also may be discharged into commercial borrow pits at the direction of the Contracting Officer or his representative.