

JOINT PUBLIC NOTICE

6 July 2020

United States Army
Corps of Engineers
New Orleans District
Regulatory Branch (ODR-E)
7400 Leake Avenue
New Orleans, Louisiana 70118

(504) 862-2279
angelle.v.greer@usace.army.mil
Project Manager
Angelle Greer
Permit Application Number
MVN-2010-02326-EG

State of Louisiana
Department of Environmental Quality
ATTN: Water Quality Certifications
Post Office Box 4313
Baton Rouge, Louisiana 70821-4313

(225) 219-3225
Project Manager
Elizabeth Hill
WQC Application Number
WQC# 200629-03

Interested parties are hereby notified that a permit application has been received by the New Orleans District of the U.S. Army Corps of Engineers pursuant to: [X] Section 10 of the Rivers and Harbors Act of March 3, 1899 (30 Stat. 1151; 33 USC 403); and/or [X] Section 404 of the Clean Water Act (86 Stat. 816; 33 USC 1344).

Application has also been made to the Louisiana Department of Environmental Quality, Water Quality Certifications, for a Water Quality Certification (WQC) in accordance with statutory authority contained in LRS30:2047 A(3), and provisions of Section 401 of the Clean Water Act (P.L.95-17).

T-WALL CONSTRUCTION AT THE KELLOGG PUMP STATION IN ST. CHARLES PARISH

NAME OF APPLICANT: St. Charles Parish Department of Public Works, c/o GCR, Inc., Attn: Leslie Johns Ray, 3300 W. Esplanade Ave., Metairie, LA 70002

LOCATION OF WORK: At approximately Latitude: 29.896226, Longitude: -90.36402, at the Kellogg Pump Station, in Luling, in St. Charles Parish, Louisiana, as shown on the enclosed drawings. Hydrologic Unit Code: 08090301 (Lower Mississippi-Central Louisiana Coastal)

CHARACTER OF WORK: Placement of approximately 1,400-cubic yards of native earthen fill material, approximately 100-cubic yards of hauled-in earthen fill material, approximately 480-cubic yards of sand, approximately 480-cubic yards of rock/limestone, and approximately 62-cubic yards of concrete to facilitate the construction of a T-wall in front of the existing Kellogg Pump Station for

structure protection. The T-wall is proposed to tie into the previously permitted and existing Ellington Levee system. No additional wetland impacts are proposed as a result of the T-wall installation, therefore, no compensatory mitigation is proposed.

The comment period for the Department of the Army Permit and the Louisiana Department of Environmental Quality WQC will close **20 days** from the date of this joint public notice. Written comments, including suggestions for modifications or objections to the proposed work, stating reasons thereof, are being solicited from anyone having interest in this permit and/or this WQC request and must be mailed so as to be received before or by the last day of the comment period. Letters concerning the Corps of Engineers permit application must reference the applicant's name and the Permit Application Number, and be mailed to the Corps of Engineers at the address above, **ATTENTION: REGULATORY BRANCH**. **Similar letters concerning the Water Quality Certification must reference the applicant's name and the WQC Application number and be mailed to the Louisiana Department of Environmental Quality at the address above.**

Individuals or parties may request an extension of time in which to comment on the proposed work by writing or e-mailing the Corps of Engineers Project Manager listed above. Any request must be specific and substantively supportive of the requested extension, and received by this office prior to the end of the initial comment period. The Section Chief will review the request and the requestor will be promptly notified of the decision to grant or deny the request. If granted, the time extension will be continuous to the initial comment period and, inclusive of the initial comment period, will not exceed a total of 30 calendar days.

The application for this proposed project is on file with the Louisiana Department of Environmental Quality and may be examined during weekdays between 8:00 a.m. and 4:30 p.m. Copies may be obtained upon payment of costs of reproduction.

Corps of Engineers Permit Criteria

The decision whether to issue a permit will be based on an evaluation of the probable impacts, including cumulative impacts of the proposed activity on the public interest. That decision will reflect the national concern for both protection and utilization of important resources. The benefit which reasonably may be expected to accrue from the proposal must be balanced against its reasonably foreseeable detriments. All factors which may be relevant to the proposal will be considered including the cumulative effects thereof; among those are conservation, economics, aesthetics, general environmental concerns, wetlands, historic properties, fish and wildlife values, flood hazards, floodplain values, land use, navigation, shoreline erosion and accretion, recreation, water supply and conservation, water quality, energy needs, safety, food and fiber production, mineral needs, considerations of property ownership and, in general, the needs and welfare of the people.

The U.S. Army Corps of Engineers is soliciting comments from the public, federal, state, and local agencies and officials, Indian Tribes, and other interested parties in order to consider and evaluate the impacts of this proposed activity. Any comments received will be considered by the U.S. Army Corps of Engineers to determine whether to make, modify, condition, or deny a permit for this proposal. To make this decision, comments are used to assess impacts on endangered species, historic properties, water quality, general environmental effects, and other public interest factors listed above. Comments are used in the preparation of an Environmental Assessment and/or an Environmental Impact Statement pursuant to the National Environmental Policy Act. Comments are also used to determine the need for a public hearing and to determine the overall public interest of the proposed activity.

The New Orleans District is unaware of properties listed on the National Register of Historic Places near the proposed work. The possibility exists that the proposed work may damage or destroy presently unknown archeological, scientific, prehistorical, historical sites, or data. Issuance of this public notice solicits input from the State Archeologist and State Historic Preservation Officer regarding potential impacts to cultural resources.

The Information & Planning Consultation for Endangered Species in Louisiana (IPaC), dated January 27, 2020 between the U.S. Army Corps of Engineers, New Orleans, and U.S. Fish and Wildlife Service, Ecological Services Office, indicated that the project footprint is located in an area that may be known to be utilized by the West Indian Manatee. Based on the IPaC analysis, it has been determined that the activity will not likely adversely affect the West Indian Manatee provided that "Standard Manatee Conditions for In-Water Activities" are included in the authorization, if granted.

Our initial finding is that the proposed work is Not Likely to Adversely Affect any species listed as endangered by the U.S. Departments of Commerce, nor affect any habitat designated as critical to the survival and recovery of such species.

This notice initiates the Essential Fish Habitat (EFH) consultation requirements of the Magnuson-Stevens Fishery Conservation and Management Act. The applicant's proposal may result in the destruction or alteration of approximately 0.008-acre of EFH utilized by various life stages of red drum and penaeid shrimp. Our initial determination is that the proposed action would have no adverse impact on EFH or federally managed fisheries in the Gulf of Mexico. Our final determination relative to project impacts and the need for mitigation measures is subject to review by and coordination with the National Marine Fisheries Service.

If the proposed work involves deposits of dredged or fill material into navigable waters, the evaluation of the probable impacts will include the application of guidelines established by the Administrator of the Environmental Protection Agency. Also, a certification that the proposed activity

will not violate applicable water quality standards will be required from the Department of Environmental Quality, Water Quality Certifications, before a permit is issued.

Any person may request, in writing, within the comment period specified in this notice, that a public hearing be held to consider this application. Requests for public hearings shall state, with particularity, the reasons for holding a public hearing.

The applicant has certified that the proposed activity described in the application complies with and will be conducted in a manner that is consistent with the Louisiana Coastal Resources Program. The Department of the Army permit will not be issued unless the applicant received approval or a waiver of the Coastal Use Permit by the Department of Natural Resources.

You are requested to communicate the information contained in this notice to any other parties whom you deem likely to have interest in the matter.



Michael V. Farabee
Chief, Eastern Evaluation Section

Enclosure

ELLINGTON STRUCTURES - KELLOGG PUMP STATION T-WALL

ST. CHARLES PARISH, LOUISIANA

P080905-5F



VICINITY MAP
N.T.S.

PARISH OF ST. CHARLES
APPLICATION BY: PARISH OF ST. CHARLES

SHEET: 1 OF 8

VICINITY MAP




BKI PROJ. NO. 10475

MAY, 2020

ELLINGTON STRUCTURES - KELLOGG PUMP STATION T-WALL ST. CHARLES PARISH, LOUISIANA

P080905-5F



RIGHT OF WAY CONTROL POINTS

POINT	EASTING	NORTHING
RW1	3587625.07	509023.51
RW2	3587782.86	508874.45
RW3	3587757.81	508846.39
RW4	3587847.30	508766.45
RW5	3587870.29	508792.14
RW6	3587926.16	508742.63
RW7	3587930.13	508752.47

POINT	EASTING	NORTHING
RW8	3587850.77	509109.67
RW9	3587897.50	509102.39
RW10	3588005.14	509118.18
RW11	3588067.33	509092.00
RW12	3588151.81	508967.63
RW13	3588154.35	508861.14
RW14	3588168.39	508848.49

SITE PLAN

SCALE : 1"=100'



1" = 100'

PARISH OF ST. CHARLES
APPLICATION BY: PARISH OF ST. CHARLES

SHEET: 2 OF 8

SITE PLAN




BKI PROJ. NO. 10475

MAY, 2020

ELLINGTON STRUCTURES - KELLOGG PUMP STATION T-WALL ST. CHARLES PARISH, LOUISIANA

P080905-5F



ENLARGED SITE PLAN

SCALE : 1"=50'



1"=50'

PARISH OF ST. CHARLES
APPLICATION BY: PARISH OF ST. CHARLES

SHEET: 3 OF 8

ENLARGED SITE PLAN




BKI PROJ. NO. 10475

MAY, 2020

ELLINGTON STRUCTURES - KELLOGG PUMP STATION T-WALL ST. CHARLES PARISH, LOUISIANA

P080905-5F



T-WALL/LEVEE TIE IN & ARMORMENT DETAIL

SCALE : 1"=30'



PARISH OF ST. CHARLES
APPLICATION BY: PARISH OF ST. CHARLES

SHEET: 4 OF 8 T-WALL/LEVEE TIE IN & ARMORMENT DETAIL




BKI PROJ. NO. 10475

MAY, 2020

ELLINGTON STRUCTURES - KELLOGG PUMP STATION T-WALL ST. CHARLES PARISH, LOUISIANA

P080905-5F




SECTION A

SCALE : 1"=50'



1"=50'




DISCHARGE BASIN AND T-WALL EXCAVATION LIMITS

SCALE : 1"=10'




ELLINGTON STRUCTURES - KELLOGG PUMP STATION T-WALL ST. CHARLES PARISH, LOUISIANA

P080905-5F



TRENCH DETAIL

N.T.S.





SECTION B

SCALE : 1"=20'



ELLINGTON STRUCTURES - KELLOGG PUMP STATION T-WALL ST. CHARLES PARISH, LOUISIANA

P080905-5F



NOTES:

1. NO TRAFFIC SIGNAL AT RIVER RIDGE DRIVE @ US 90 (RIGHT TURN ONLY TO US 90 ON EXIT).
2. FOLLOW RIVER RIDGE DRIVE TO PRIMROSE DRIVE TO CULVERT CROSSING AT VALENCIA DRIVE.
3. TEMPORARILY REMOVE MEDIAN AT PRIMROSE DRIVE AND ENLARGE CULVERT AT VALENCIA FOR WIDER TURNING RADIUS.
4. UTILIZE CONSTRUCTION SERVITUDE ON TRIANGLE SHAPED LOT IDENTIFIED AS A COMMON GREEN AREA EAST OF LOT 46.

RIVER RIDGE DRIVE @ US HWY 90 ACCESS ROUTE (OPTION A)

N.T.S.

PARISH OF ST. CHARLES
APPLICATION BY: PARISH OF ST. CHARLES

SHEET: 7 OF 8

ACCESS ROUTE (OPTION A)




BKI PROJ. NO. 10475

MAY, 2020

ELLINGTON STRUCTURES - KELLOGG PUMP STATION T-WALL

ST. CHARLES PARISH, LOUISIANA

P080905-5F



NOTES:

1. TRAFFIC SIGNAL AT U.S. HWY 90
2. FOLLOW LAKEWOOD DRIVE TO GREGORY DRIVE TO TEXACO ROAD TO COUSINS PUMP STATION.
3. REQUIRED TO DRIVE APPROX. 100 FEET OF SHEET PILE AT GREGORY DRIVE & TEXACO ROAD INTERSECTION.
4. INSTALL MATS OVER PUMP STATION DISCHARGE PIPES, GAS PIPELINES, RELOCATED OH ENERGY LINES AND PUBLIC UTILITIES AS NECESSARY.

RIVER RIDGE DRIVE @ US HWY 90 ACCESS ROUTE (OPTION B)

N.T.S.

PARISH OF ST. CHARLES
APPLICATION BY: PARISH OF ST. CHARLES

SHEET: 8 OF 8

ACCESS ROUTE (OPTION B)



BKI PROJ. NO. 10475

MAY, 2020