



DEPARTMENT OF THE ARMY
U.S. ARMY CORPS OF ENGINEERS, NEW ORLEANS DISTRICT
7400 LEAKE AVE
NEW ORLEANS, LA 70118-3651

PUBLIC NOTICE

April 18, 2022

United States Army
Corps of Engineers
New Orleans District
Attn: Regulatory Division, RGW
7400 Leake Ave.
New Orleans, Louisiana 70118-3651

Project Manager: Amy Oestringer
(504) 862-2272
Amy.L.Oestringer@usace.army.mil

SPECIAL PUBLIC NOTICE

PROPOSED TIME EXTENSION AND MODIFICATIONS TO THE GENERAL PERMIT GP-22 FOR CERTAIN MISCELLANEOUS ACTIVITIES WITHIN THE LOUISIANA COASTAL ZONE THAT HAVE MINIMAL INDIVIDUAL OR CUMULATIVE ADVERSE IMPACTS WITHIN THE NEW ORLEANS DISTRICT

The general permit GP-22 (previously known as NOD-22) was originally issued on September 26, 1983, and will expire on October 31, 2022. GP-22 has proven to be an effective method to authorize certain projects within the New Orleans District in a timely manner without the need for a public notice and its related costs. Evaluating applications under the general permit procedures for projects that qualify because of their minor impacts allows for better use of personnel resources, yet still allows adequate impact review. A copy of the general permit is attached.

Interested parties are requested to review the enclosed time extension and modification of the General Permit for Certain Miscellaneous Activities Within the Louisiana Coastal Zone That Have Minimal Individual or Cumulative Adverse Impacts Within the New Orleans District.

Specific legislation requiring Department of the Army permits for work of this nature are:
[X] Section 10 of the Rivers and Harbors Act of March 3, 1899 (30 Stat. 1151: 33 USC 403);
and/or [X] Section 404 of the Clean Water Act (86 Stat. 816: 33 USC 1344).

Pre-filing request and application will be submitted to the Louisiana Department of Environmental Quality, Office of Environmental Services, for a Water Quality Certification (WQC) in accordance with statutory contained in Louisiana Revised Statutes of 1950, Title 30, Chapter 11, Part IV, Section 2074 A(3) and provisions of Section 401 of the Clean Water Act (P.L. 95-217).

The comment period for the Department of the Army Permit will close 30 days from the date of this public notice. Written comments, including suggestions for modifications or objections to the reissuance of this general permit, stating reasons thereof, are being solicited from anyone having interest in this general permit and must be mailed so as to be received before or by the last day of the comment period. Letters concerning this Corps of Engineers general permit must reference the general permit application number above, and be mailed to the Corps of Engineers at the address above, **ATTENTION: REGULATORY DIVISION, RGW, Amy Oestringer.**

Corps of Engineers Permit Criteria

The decision whether to reissue this general permit will be based on an evaluation of the probable impacts, including cumulative impacts of the proposed activity on the public interest. That decision will reflect the national concern for both protection and utilization of important resources. The benefit which reasonably may be expected to accrue from the proposal must be balanced against its reasonably foreseeable detriments. All factors which may be relevant to the proposal will be considered, including the cumulative factors thereof; among those are conservation, economics, aesthetics, general environmental concerns, wetlands, historic properties, fish and wildlife values, flood hazards, floodplain values, land use, navigation, shoreline erosion and accretion, recreation, water supply and conservation, water quality, energy needs, safety, food and fiber production, mineral needs, consideration of property ownership and, in general, the needs and welfare of the people.

The U.S. Army Corps of Engineers is soliciting comments from the public, federal, state, and local agencies and officials, Indian Tribes, and other interested parties in order to consider and evaluate the impacts of this proposed activity. Any comments received will be considered by the U.S. Army Corps of Engineers to determine whether to make, modify, condition, or deny a permit for this proposal. To make this decision, comments are used to assess impacts on endangered species, historic properties, water quality, general environmental effects, and other public interest factors listed above. Comments are used in the preparation of an Environmental Assessment and/or an Environmental Impact Statement pursuant to the National Environmental Policy Act. Comments are also used to determine the need for a public hearing and to determine the overall public interest of the proposed activity.

Our initial determination is that work authorized under this general permit will not adversely affect (1) Section 106 and tribal resources; (2) threatened and endangered species and/or their critical habitat; or (3) Essential Fish Habitat.

Any person may request, in writing, within the comment period specified in this notice, that a public hearing be held to consider this application. Requests for public hearings shall state, with particularity, the reasons for holding a public hearing.

You are requested to communicate the information contained in this notice to any other parties whom you deem likely to have interest in the matter.

For: Martin S. Mayer
Chief, Regulatory Division

Enclosure



DEPARTMENT OF THE ARMY
U.S. ARMY CORPS OF ENGINEERS, NEW ORLEANS DISTRICT
7400 LEAKE AVE
NEW ORLEANS, LA 70118-3651

Regulatory Division

SUBJECT: CEMVN-RG (General Permit) GP-22
MVN-2005-00765 WQQ

**DEPARTMENT OF THE ARMY GENERAL PERMIT FOR CERTAIN MISCELLANEOUS
ACTIVITIES WITHIN THE LOUISIANA COASTAL ZONE THAT HAVE MINIMAL
INDIVIDUAL OR CUMULATIVE ADVERSE IMPACTS**

Authorization No.: (General Permit) GP-22

Effective Date: September 26, 1983

Expiration Date: October 31, 2027

This general permit is superseded by the Programmatic General Permit for activities regulated by the Louisiana Office of Coastal Management.

Under authorization granted by applicable sections of Parts 320 through 332 of Title 33, Code of Federal Regulations, and delegated authority from the Commander, U. S. Army Corps of Engineers, the District Engineer at New Orleans has determined that it is in the public interest to issue a general permit to authorize the following activities subject to the conditions contained in this permit and occurring within the coincidental boundaries of the Louisiana Coastal Zone and the New Orleans District:

- a. Work or structures in or affecting navigable waters of the United States pursuant to Section 10 of the Rivers and Harbors Act of March 3, 1899 (33 USC 403).
- b. The discharge of dredged and/or fill material into waters of the United States pursuant to Section 404 of the Clean Water Act (33 USC 1344).
- c. Inclusions. The following work will likely be eligible under this general permit:

(1) Maintenance dredging in oil or gas well channels, canals, and slips. Deposition of the dredged material may be in open water, or on existing spoil banks, or used to create or maintain existing wetlands. The applicant's proposed disposal area for dredged material will be reviewed to determine if alternate practical disposal areas are available near the project site that have less adverse environmental impact; or if bucket, hydraulic, wheel wash, or spray dredging should be utilized. Final approval for the work under the general permit may require use of an alternate disposal site and/or dredging and disposal method, and/or other mitigation.

(2) Any flowlines, pipelines and utility lines up to 50,000 linear feet in length and all aerial transmission lines. Must utilize the least damaging, practicable route and construction method, otherwise an individual permit will be required. Power transmission lines must comply with regulations found at 33 CFR Part 322.5(i).

NOTE: Pipelines may also be laid on the marsh surface.

- (3) Lowering or relocation of pipelines due to erosion or to accommodate a federal project.
- (4) Well structures and production facilities in open waters that are not on shell reefs, submerged seagrass beds, or in the emerging Atchafalaya delta.
- (5) Bulkheads, riprap, etc., used for pipeline erosion protection.
- (6) Waterway closures (with or without culverts) that are not part of a marsh management plan, constructed of shell, riprap, or other suitable hardened caps installed in man-made canals for mitigation purposes recommended by federal agencies.
- (7) Platforms in open waters for fishing or research that do not interfere with navigation.
- (8) The construction of pile-supported or barge-mounted production facilities (e.g., well structures, heater platforms) in wetlands and man-made oil field canals.
- (9) Oil and gas well canals and channels not greater than 70 feet wide or slips not larger than 345 feet by 160 feet and/or with a total length (canal, channel, and slip) not greater than 500 feet, and specifying that restoration will be conducted upon abandonment. Dredged material may be placed in open water, on existing spoil banks, or used to create or maintain existing wetlands. Restoration will normally include plugging the mouth of the canal with an earthen closure capped with riprap or other suitable erosion retarding material, placing 50-foot wide gaps in the spoil banks on either side, and re-opening any water courses blocked by the spoil placement. All spoil above the 2-foot elevation may be returned to the slip and canal or used to create or maintain adjacent wetlands. If so, the site which would result in less environmental impact would be the site considered for general permit approval.
- (10) Oil and gas well slips no larger than 120 feet by 375 feet, located parallel and contiguous to an existing canal.
- (11) Reconstruction and backfill of a bulkhead less than 3 feet channelward of existing bulkhead structures for maintenance purposes.
- (12) Dredging of less than 2000 cubic yards of material to provide or maintain moorage at an existing bulkhead, wharf, boat slip, or access canal. Dredged material will not be placed in open water or wetlands.
- (13) Construction of private or commercial boat launching ramps and parking areas requiring the placement of less than 250 cubic yards of fill or disturbing no greater than a total of one-half of an acre of wetlands.
- (14) Installation of no more than two mooring piles (including clusters that consist of up to three piles) for small boats.

(15) Timber wharves and decks, as well as single story timber pile or float supported boat sheds that cannot serve as a camp, foundation for a residence, or a residence, provided that any of the structures identified above:

- (a) are no longer (i.e., channelward extension into the waterway) than 10 percent of the waterway width at the project site, or
- (b) will not cause unreasonable interference with navigation (see general condition q), whichever is less.

(16) Work not specifically excluded which fills, excavates, impounds, drains, or segregates no greater than one acre of wetlands.

d. Exclusions. The following work will NOT be eligible under this general permit. Applications for this work will be evaluated in accordance with 33 CFR 325.

- (1) Work outside the Louisiana coastal zone (see enclosed map).
- (2) When a permission from the Corps pursuant to 33 U.S.C.408 is required, final action cannot be made until the Section 408 permission is granted.
- (3) Structures or work associated with new boating facilities or with the extension of the area limits of existing boating facilities. For the purpose of this condition, "boating facilities" are marinas, yacht clubs, boat clubs, and other entities that rent or sell mooring space.
- (4) Structures or work in, or that would impinge upon the value (habitat, hydrology, etc.) of, any National Wildlife Refuge, National Forest, areas administered by the National Park Service of the U. S. Department of the Interior, areas administered by the Louisiana Departments of Natural Resources or Wildlife and Fisheries, or other similar publicly held areas administered by federal, state, or local governmental authority, unless special permission from these agencies is submitted with the application for this general permit.
- (5) Projects of national concern. This exclusion is invoked on a case-by-case basis and represents, in essence, a special class of projects that receive particular attention in Corps decisions on whether to exercise the discretionary authority to require individual applications for work that otherwise meets all of this permit's conditions. While a precise definition is not possible, this category of work normally includes, but is not limited to, the following examples: projects that could cause an unreasonable interference with navigation; significant wetland fills; major power plants, shipping facilities and oil refineries; major commercial, residential or industrial developments; mitigation banks; and work that could adversely affect habitats important to migratory birds, endangered or threatened species, estuarine-dependent fishes and shellfishes, or other species of high federal interest; or historic, cultural, or archeological sites listed in the National Register of Historic Places or sites listed in the National Registry of Natural Landmarks.
- (6) Oil and gas well canals or channels greater than 70 feet wide or slips larger than 345 feet by 160 feet and/or with a total (canal and slip) length greater than 500 feet (to

include access canals), and any not specifying that restoration (if appropriate), will be conducted upon abandonment.

(7) Work within 1,500 feet of colonial bird nesting sites or within 1 mile of bald eagle nesting sites, unless specifically approved by the relevant governing agency(s).

(8) Pumping and/or drainage facilities with associated levee systems, which are capable of draining (either forced or gravity) any wetlands not currently subject to artificial lowering of water levels.

(9) Work that would modify the effectiveness of an existing, functional water control structure.

(10) Mining for sand, gravel, or shell.

(11) Work that fills, excavates, impounds, drains, or segregates over one-half of an acre of wetlands.

(12) Work within a component of a National Wild and Scenic River System or State Scenic River System without written approval from the appropriate authority.

General permit GP-22 is subject to the following general conditions:

a. All activities identified and authorized herein shall be consistent with the terms and conditions of this permit; and any activities not specifically identified and authorized herein shall constitute a violation of the terms and conditions of this permit which may result in modification, suspension, or revocation of the authorization granted to the permittee, in whole or in part, as set forth more specifically in general conditions i. or j. below, and in the institution of such legal proceedings as the United States government may consider appropriate, whether or not this permit has been previously modified, suspended, or revoked in whole or in part.

b. All activities authorized herein shall, if they involve, during their construction or operation, any discharge of pollutants into waters of the United States, be at all times consistent with applicable water quality standards, effluent limitations and standards of performance, prohibitions, pre-treatment standards and management practices established pursuant to the Clean Water Act (PL 92-500: 86 Stat. 816), or pursuant to applicable state and local laws.

c. The discharge shall not affect a threatened or endangered species as identified under the Endangered Species Act or endanger the critical habitat of such species.

d. The permittee agrees to make every reasonable effort to execute the construction or operation of the work authorized herein in a manner so as to minimize any adverse impact on fish, wildlife, special aquatic sites, and natural environmental values.

e. The permittee agrees that the construction of work authorized herein shall be executed in a manner so as to minimize any degradation of water quality.

f. The permittee shall permit the District Engineer or his authorized representative(s) or designee(s) to make periodic inspections of the project site(s) and disposal site(s) if different from the project sites(s) at any time deemed necessary in order to assure that the activity being performed under authority of this permit is in accordance with the terms and conditions prescribed herein.

g. The permittee shall maintain the structure or work authorized herein in a good and safe condition.

h. This permit does not convey any property rights, either in real estate or material, or any exclusive privileges; and it does not authorize any injury to property or invasion of rights or any infringement of federal, state or local laws or regulations nor does it obviate the requirement to obtain state or local assent required by law for the activity authorized herein.

i. This permit and/or any individual authorizations granted under this permit may be summarily suspended, in whole or in part, upon a finding by the District Engineer that immediate suspension of the activity authorized herein would be in the general public interest.

j. Any individual authorization granted under this permit may be either modified, suspended, or revoked in whole or in part if the Secretary of the Army or his authorized representative determines that there has been a violation of the terms or conditions of this permit or that such action would otherwise be in the public interest.

k. In issuing authorizations under this permit, the federal government will rely upon information and data supplied by the applicant. If, subsequent to the issuance of an authorization, such information and data prove to be false, incomplete, or inaccurate, the permit authorization may be modified, suspended, or revoked, in whole or in part.

l. Any modification, suspension, or revocation of this permit or any individual authorization granted under this permit will not be the basis for any claim for damages against the United States.

m. This permit does not authorize or approve the construction of particular structures, the authorization or approval of which require authorization by the Congress or other agencies of the federal government.

n. If and when an authorized activity is to be abandoned, unless such abandonment is part of a transfer procedure by which the authorization is being transferred to a third party, the individual(s) who receive(s) the authorization must restore the area to a condition satisfactory to the District Engineer. Any transfer procedure must include the transferee's written agreement to comply with all terms and conditions of this permit and any additional conditions that may be added to the individual authorization.

o. The permittee understands and agrees that, if future operations by the United States require the removal, relocation, or other alteration, of the structure or work herein authorized, or if, in the opinion of the Secretary of the Army or his authorized representative, said structure or work shall cause unreasonable obstruction to the free navigation of the navigable waters, the permittee will be required, upon due notice from

the Corps of Engineers, to remove, relocate, or alter the structural work or obstructions caused thereby, without expense to the United States. No claim shall be made against the United States on account of any such removal or alteration.

p. Your use of the permitted activity must not interfere with the public's right to free navigation on all navigable waters of the United States.

q. You must install and maintain, at your expense, any safety lights, signs and signals prescribed by the U.S. Coast Guard, through regulations or otherwise, on your authorized facilities. Any inquiries concerning a U.S. Coast Guard Private Aids to Navigation marking determination may be directed to the Eighth Coast Guard District (dpw), Hale Boggs Federal Building, 500 Poydras St., Suite 1230, New Orleans, Louisiana 70130, at (504) 671-2330 or via email to: D8oanPATON@uscg.mil. For general information related to Private Aids to Navigation, you may visit the Eighth CG District web site at: <http://www.atlanticarea.uscg.mil/district-8/district-divisions/waterways/PATON>

r. If the authorized project, or future maintenance work, involves the use of floating construction equipment (barge mounted cranes, barge mounted pile driving equipment, floating dredge equipment, dredge discharge pipelines, etc.) in the waterway, you are advised to notify the Eighth Coast Guard District so that a Notice to Mariners, if required, may be prepared. Notification with a copy of this permit approval and drawings can be emailed to: D8MarineInfo@uscg.mil, or mailed to the Commander (dpw), Eighth Coast Guard District, Hale Boggs Federal Building, 500 Poydras Street, Suite 1230, New Orleans, Louisiana 70130. Telephone inquiries can be directed to the Eighth Coast Guard District, Waterways Management at (504) 671-2118.

s. Structures authorized under this General Permit near designated shipping safety fairways or designated anchorage areas must comply with 33 CFR322.5(l).

t. This general permit cannot be used for piecemeal dredge or fill activities or other piecemeal work, nor is this general permit valid for any activity that is part of an overall project for which the Corps has determined that an individual permit is required.

u. Permittees must evaluate the effect that the proposed work would have on historic properties listed, or eligible for listing, in the National Register of Historic Places (NRHP) prior to initiation of work. Historic properties include prehistoric and historic archaeological sites, and areas or structures of cultural interest that occur in the permit area. If a known historic property would be encountered, the permittee shall notify CEMVN and shall not conduct any work in the permit area that would affect the property until the requirements of 33 CFR Part 325, Appendix C, and 36 CFR Part 800 have been satisfied. If a previously unknown historic property is encountered during work authorized by this General Permit, the permittee shall immediately notify the USACE and avoid further impact to the site until the CEMVN has verified that the requirements of 33 CFR Part 325, Appendix C, and 36 CFR Part 800 have been satisfied.

v. Wetlands that are not part of the project site but that are disturbed during construction, including the temporary crossing of wetland areas, will be restored to their pre-project elevations and conditions, and may include re-planting.

w. When work is done by heavy equipment in wetland areas that are not a part of this authorization or heavy materials are temporarily stored in these wetland areas, mats will be utilized and activities confined to matted areas. When work is completed, the mats shall be removed, and the area restored to pre-project conditions.

x. Material discharged into wetlands will be contained or stabilized and will be compatible with existing soils and will not otherwise constitute a non-point pollution source.

y. When project works will be constructed with, be adjacent to, or otherwise in proximity to other works conducted pursuant to this general permit, the project drawings will show the relationship of such structures to the proposed work and their appropriate Coastal Use Permit numbers.

z. Misrepresentation of the proposed project or falsification of facts may be cause to exclude the project from further general proceedings. If the misrepresentation or falsification was intentional, the applicant shall forfeit the right to conduct work at the proposed project site pursuant to this general permit.

aa. If the project includes deposits of dredged or fill material, only clean dredged material, or hauled in material which is free of waste metal products, chemical pollutants, unsightly debris, or any material that may be detrimental to the environment, may be used as fill.

General permit GP-22 is subject to the following special conditions:

a. No work may be performed under this general permit unless and until all required federal, state, and local permits licenses, authorizations, and certifications are obtained, including but not limited to:

(1) A Coastal Use Permit signed by the Secretary of the Louisiana Department of Natural Resources or his designee, or

(2) A letter from the Secretary of the Louisiana Department of Natural Resources or the Administrator of the Office of Coastal Management stating that, pursuant to state law, a Coastal Use Permit is not required for the activity in question.

b. Irrespective of whether a proposal meets the other conditions of this permit, the Corps of Engineers retains discretionary authority to subject the proposal to all standard permit review procedures, whenever the Corps of Engineers determines that the potential consequences of the proposal warrant this requirement.

Application, Reporting & Acknowledgement Procedures

Applications, specifically requesting authorization under the general permit, should be sent to the Louisiana Department of Natural Resources, Office of Coastal Management, Post Office Box 4487, Baton Rouge, Louisiana 70804-4487. The Office of Coastal Management (OCM) will review the application for completeness and, if complete, will assign it a coastal use permit (CUP) number and forward a copy of the application to the

New Orleans District by express next day delivery. Applications may also be submitted electronically at <http://dnr.louisiana.gov/crm/>. A complete application includes all of the following:

1. A coastal use joint permit application fee (\$20 for residential projects, \$100 for non-residential projects) in the form of a check made payable to "OCM". Payment to OCM may also be made via credit card online or by telephone.

2. The Joint Permit Application form that includes, but is not limited to: the applicant's signature, the latitude and longitude, the Section, Township and Range, a statement by the applicant that the best of his or her knowledge, the project complies with and will be conducted in a manner that is consistent with the Louisiana Coastal Management Program, the information requested in step 12 of the form regarding landowners, and a clear description of the proposed work and alternatives considered with details supporting the chosen alternative.

3. For projects requiring authorization under Section 404 of the Clean Water Act, in reference to 33 CFR 325.1 (d)(7), the applicant is required to submit a statement explaining how impacts to the waters of the United States are to be avoided and minimized. The application must also include either a statement describing how impacts to waters of the United States are to be compensated for or a statement explaining why compensatory mitigation should not be required for the proposed impacts. Unavoidable project related impacts will be assessed on a case-by-case basis to determine if compensatory mitigation will be required. If required, proposed compensatory mitigation should be located within the appropriate watershed for the permitted impact, to the extent practicable, and follow the preferential hierarchy established in 33 CFR 332.3(b): 1) Mitigation bank credits; 2) Existing in-lieu fee programs; 3) permittee-responsible mitigation (PRM).

4. Signed statements from the affected landowners establishing that they have no objection to the required restoration/mitigation, and that they agree not to develop restoration/mitigation areas without the prior approval of the District Engineer.

5. A vicinity map on which the project site is clearly indicated, and accurately scaled drawings (plan view and cross section with mean high and low water lines) with all dimensions clearly labeled and the number of cubic yards of dredged or fill material involved. When project works will be constructed with, be adjacent to, or otherwise in proximity to other works conducted under this general permit, drawings MUST show the relationship of such work to the proposed activity and their appropriate permit numbers. Further information on submitting a complete permit application and drawings can be found by visiting: <https://www.mvn.usace.army.mil/Missions/Regulatory/Permits/>


Upon receipt of a copy of the application package from OCM, the New Orleans District will review it for completion and eligibility for the general permit. Incomplete applications will be returned to the applicant and/or the applicant will be advised of the application deficiencies. Work not eligible for GP-22 will be evaluated in accordance with the appropriate permit application review process, to include a joint Corps/OCM public notice, if applicable.

Applicants whose proposals meet the requirements of GP-22 will be notified by letter that their project is being considered for approval under the general permit.

BY THE AUTHORITY OF THE SECRETARY OF THE ARMY:

Martin S. Mayer
Chief, Regulatory Division
for
Stephen F. Murphy
Colonel, U.S. Army
District Commander

Enclosures



N



1 in = 19 miles



Revised Boundary

Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community

